-X

POOLIMEX

OUTDOOR EQUIPMENTS

POOLIMEX

OUTDOOR EQUIPMENTS

POOLIMEX

OUTDOOR EQUIPMENTS

OUTDOOR EQUIPMENTS

QUALITY



DESDE NUESTROS ALMACENES EN ESPAÑA, HACEMOS ENTREGAS EN TODO EL MUNDO.

FROM OUR WAREHOUSES IN SPAIN, WE DELIVER ALL OVER THE WORLD.

DEPUIS NOS ENTREPÔTS EN ESPAGNE, NOUS LIVRONS DANS LE MONDE ENTIER.

DAI NOSTRI MAGAZZINI IN SPAGNA, CONSEGNIAMO IN TUTTO IL MONDO.

A PARTIR DOS NOSSOS ARMAZÉNS EM ESPANHA, FAZEMOS ENTREGAS EM TODO O MUNDO.

LV TJR

POOL SHOWER FAUCETS

POOL series

GPP001/AC
Pag: 005-010

GPP001/ANG
Pag: 011-016

GPP001/AAO
Pag: 017-022

GPP001/ACL
Pag: 023-028

GPP001/AMK
Pag: 029-034

GPP001/AGCB
Pag: 035-040

ALASKA series

GPA002/AC
Pag: 041-046

GPA002/ANG
Pag: 047-052



DAKOTA series

GPD003/AC
Pag: 053-058

GPD003/ANG
Pag: 059-064



COLORADO series

GPC004/AC
Pag: 065-070

TEXAS series

GPT005/AC
Pag: 071-076

GPT005/ANG
Pag: 077-082

OREGON series

GPO006/AC
Pag: 083-088

GPO006/ANG
Pag: 089-094

MICHIGAN series

GPM007/AC
Pag: 095-100

GPM007/ANG
Pag: 101-106

POOL SHOWER FAUCETS

FLORIDA series

GPF008/AC
Pag: 107-112

GPF008/ANG
Pag: 113-118

NEVADA series

GPN009/AC
Pag: 119-124

GPN009/ANG
Pag: 125-130

UTAH series

GPU010/AC
Pag: 131-136

GPU010/ANG
Pag: 137-142

GPU010/AAO
Pag: 143-148

GPU010/ACL
Pag: 149-154

GPU010/AMK
Pag: 155-160

GPU010/AGCB
Pag: 161-166

OKLAHOMA series

GPO011/AC
Pag: 167-172

GPO011/ANG
Pag: 173-178

KANSAS series

GPK012/AC
Pag: 179-184

GPK012/ANG
Pag: 185-190

POOL SHOWER FAUCETS

NIAGARA series

GPN013/AC
Pag: 191-196

GPN013/ANG
Pag: 197-202

GPN013/AAO
Pag: 203-208

GPN013/ACL
Pag: 209-214

GPN013/AMK
Pag: 215-220

GPN013/AGCB
Pag: 221-226

ALABAMA series

GPA014/AC
Pag: 227-232

GPA014/ANG
Pag: 233-238

SENSE series

GPS016AC
Pag: 239-244



GPS016ANG
Pag: 245-250

PHOENIX series

GPP015/AC
Pag: 251-256

GPP015/AAO
Pag: 257-262

GPP015/ACL
Pag: 263-268

GPP015/AMK
Pag: 269-274

GPP015/AGCB
Pag: 275-280

WATERFALLS

NIAGARA series

CPN001/AC
Pag: 281-286

CPN001/ANG
Pag: 287-292



CPN001/AAO
Pag: 293-298

CPN001/ACL
Pag: 299-304

CPN001/AMK
Pag: 305-310

CPN001/AGCB
Pag: 311-316



NIAGARA series

CPN002/AC
Pag: 317-322

CPN002/ANG
Pag: 323-328

CPN002/AAO
Pag: 329-334

CPN002/ACL
Pag: 335-340

CPN002/AMK
Pag: 341-346



CPN002/AGCB
Pag: 347-352



IGUAZU series

CPI003/AC
Pag: 353-358

CPI003/ANG
Pag: 359-364

POOLIMEX ICONS

AGUA FRÍA	AGUA FRÍA Y CALIENTE	SALIDA EFECTO CASCADA	SALIDA DE AGUA INFERIOR	TEMPORIZADA 15"
COLD WATER	COLD AND HOT WATER	WATERFALL OUTLET	LOWER WATER OUTLET	TIMED 15"
EAU FROIDE	EAU FROIDE ET CHAUDE	SORTIE EFFET CASCADE	SORTIE INFÉRIEURE	TEMPORISÉ 15"
ACQUA FREDDA	ACQUA FREDDA E CALDA	USCITA CON EFFETTO CASCATA	USCITA D'ACQUA INFERIORE	TEMPORIZZATO 15"
ÁGUA FRIA	ÁGUA FRIA E QUENTE	SAÍDA EFEITO CASCATA	SAÍDA DE ÁGUA INFERIOR	TEMPORIZADA 15"


POOL
GPP001/AC

POOL SERIES

POOL SERIES

2.
- CUERPO SUPERIOR TUBULAR Ø42MM
- Ø42MM UPPER TUBULAR BODY
- CORPS SUPÉRIEUR TUBULAIRE Ø42MM
- CORPO SUPERIORE TUBOLARE Ø42MM
- CORPO SUPERIOR TUBULAR Ø42MM

3.
- CUERPO DEL GRIFO MANETA 1/4 DE VUELTA
- FAUCET BODY, 1/4 TURN HANDLE
- CORPS DU ROBINET, MANETTE 1/4 DE TOUR
- CORPO RUBINETTO MANIGLIA 1/4 DI GIRO
- CORPO DO MANÍPULO DA TORNEIRA ¼ DE VOLTA

1.
- ROCIADOR Ø80MM – G-1/2"
- Ø80MM SHOWER HEAD – G 1/2"
- DOUCHE DE TÊTE Ø80MM – G-1/2 "
- SOFFIONE Ø80MM – G-1/2"
- CHUVEIRO Ø80MM – G-1/2"

7.
- LATIGUILLO DE CONEXIÓN RECTO Ø 1/2" 1300/14 MM
- Ø1/2" 1300/14MM HOSE
- FLEXIBLE DE RACCORDEMENT DROIT Ø 1/2" 1300/14 MM
- TUBO DI COLLEGAMENTO DIRITTO Ø 1/2" 1300/14 MM
- FLEXIVEL DE CONEXÃO RECTA Ø 1/2" 1300/14 MM

4.
- CUERPO INFERIOR TUBULAR Ø42MM
- Ø42MM LOWER TUBULAR BODY
- CORPS INFÉRIEUR TUBULAIRE Ø42MM
- CORPO INFERIORE TUBOLARE Ø42MM
- CORPO INFERIOR TUBULAR Ø42MM

5.
- EMBELLECEDOR BASE Ø160MM
- Ø160MM BASE COVER PLATE
- ENJOLIVEUR BASE Ø160MM
- FINITURE BASE Ø160MM
- EMBELEZADOR BASE Ø160MM

6.
- BASE DE FIJACION Ø152MM
- Ø152MM FIXING BASE
- BASE DE FIXATION Ø152MM
- BASE DI FISSAGGIO Ø152MM
- BASE DE FIXAÇÃO Ø152MM

FLOW RATE REF	GPP001/AC
TOP SHOWER 0.1MPA(L/MIN)	4.7
TOP SHOWER 0.3MPA(L/MIN)	12.6
TOP SHOWER 0.5MPA(L/MIN)	17.8



PRODUCT SIZE(CM)	126.5*53.7*10.7
WEIGHT(KG)	8.3
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55°C
MIN.TEMPERATURE	0°C





COD.: 00324

GPP001/AC

GRIFERÍA DE PISCINA POOL ACERO S.316



POOL

GPP001/ANG

POOL SERIES

POOL SERIES



1.

- ROCIADOR Ø80MM – G-1/2”
- Ø80MM SHOWER HEAD – G 1/2"
- DOUCHE DE TÊTE Ø80MM – G-1/2 "
- SOFFIONE Ø80MM – G-1/2”
- CHUVEIRO Ø80MM – G-1/2”

2.

- CUERPO SUPERIOR TUBULAR Ø42MM
- Ø42MM UPPER TUBULAR BODY
- CORPS SUPÉRIEUR TUBULAIRE Ø42MM
- CORPO SUPERIORE TUBOLARE Ø42MM
- CORPO SUPERIOR TUBULAR Ø42MM

3.

- CUERPO DEL GRIFO MANETA 1/4 DE VUELTA
- FAUCET BODY, 1/4 TURN HANDLE
- CORPS DU ROBINET, MANETTE 1/4 DE TOUR
- CORPO RUBINETTO MANIGLIA 1/4 DI GIRO
- CORPO DO MANÍPULO DA TORNEIRA 1/4 DE VOLTA

4.

- CUERPO INFERIOR TUBULAR Ø42MM
- Ø42MM LOWER TUBULAR BODY
- CORPS INFÉRIEUR TUBULAIRE Ø42MM
- CORPO INFERIORE TUBOLARE Ø42MM
- CORPO INFERIOR TUBULAR Ø42MM

5.

- EMBELLECEDOR BASE Ø160MM
- Ø160MM BASE COVER PLATE
- ENJOLIVEUR BASE Ø160MM
- FINITURE BASE Ø160MM
- EMBELEZADOR BASE Ø160MM

6.

- BASE DE FIJACION Ø152MM
- Ø152MM FIXING BASE
- BASE DE FIXATION Ø152MM
- BASE DI FISSAGGIO Ø152MM
- BASE DE FIXAÇÃO Ø152MM

7.

- LATIGUILLO DE CONEXIÓN RECTO Ø 1/2” 1300/14 MM
- Ø1/2” 1300/14MM HOSE
- FLEXIBLE DE RACCORDEMENT DROIT Ø 1/2" 1300/14 MM
- TUBO DI COLLEGAMENTO DIRITTO Ø 1/2” 1300/14 MM
- FLEXIVEL DE CONEXÃO RECTA Ø 1/2” 1300/14 MM

FLOW RATE REF	GPP001/ANG
TOP SHOWER 0.1MPA(L/MIN)	4.7
TOP SHOWER 0.3MPA(L/MIN)	12.6
TOP SHOWER 0.5MPA(L/MIN)	17.8



PRODUCT SIZE(CM)	126.5*53.7*10.7
WEIGHT(KG)	8.3
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55°C
MIN.TEMPERATURE	0°C



COD.: 00382

GPP001/ANG

GRIFERÍA DE PISCINA POOL ACERO S.316
NEGRO MATE



POOL

GPP001/AAO

POOL SERIES



2.
- CUERPO SUPERIOR TUBULAR Ø42MM
- Ø42MM UPPER TUBULAR BODY
- CORPS SUPÉRIEUR TUBULAIRE Ø42MM
- CORPO SUPERIORE TUBOLARE Ø42MM
- CORPO SUPERIOR TUBULAR Ø42MM

3.
- CUERPO DEL GRIFO MANETA 1/4 DE VUELTA
- FAUCET BODY, 1/4 TURN HANDLE
- CORPS DU ROBINET, MANETTE 1/4 DE TOUR
- CORPO RUBINETTO MANIGLIA 1/4 DI GIRO
- CORPO DO MANÍPULO DA TORNEIRA 1/4 DE VOLTA

1.
- ROCIADOR Ø80MM – G-1/2"
- Ø80MM SHOWER HEAD – G 1/2"
- DOUCHE DE TÊTE Ø80MM – G-1/2 "
- SOFFIONE Ø80MM – G-1/2"
- CHUVEIRO Ø80MM – G-1/2"

7.
- LATIGUILLO DE CONEXIÓN RECTO Ø 1/2" 1300/14 MM
- Ø1/2" 1300/14MM HOSE
- FLEXIBLE DE RACCORDEMENT DROIT Ø 1/2" 1300/14 MM
- TUBO DI COLLEGAMENTO DIRITTO Ø 1/2" 1300/14 MM
- FLEXIVEL DE CONEXÃO RECTA Ø 1/2" 1300/14 MM

4.
- CUERPO INFERIOR TUBULAR Ø42MM
- Ø42MM LOWER TUBULAR BODY
- CORPS INFÉRIEUR TUBULAIRE Ø42MM
- CORPO INFERIORE TUBOLARE Ø42MM
- CORPO INFERIOR TUBULAR Ø42MM

5.
- EMBELLECEDOR BASE Ø160MM
- Ø160MM BASE COVER PLATE
- ENJOLIVEUR BASE Ø160MM
- FINITURE BASE Ø160MM
- EMBELEZADOR BASE Ø160MM

6.
- BASE DE FIJACION Ø152MM
- Ø152MM FIXING BASE
- BASE DE FIXATION Ø152MM
- BASE DI FISSAGGIO Ø152MM
- BASE DE FIXAÇÃO Ø152MM

FLOW RATE REF	GPP001/AAO
TOP SHOWER 0.1MPA(L/MIN)	4.7
TOP SHOWER 0.3MPA(L/MIN)	12.6
TOP SHOWER 0.5MPA(L/MIN)	17.8



PRODUCT SIZE(CM)	126.5*53.7*10.7
WEIGHT(KG)	8.3
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55°C
MIN.TEMPERATURE	0°C



COD.: 00382

GPP001/AAO

GRIFERÍA DE PISCINA POOL ACERO S.316
AZUL OCEANO

POOL

GPP001/ACL

POOL SERIES



2.
- CUERPO SUPERIOR TUBULAR Ø42MM
- Ø42MM UPPER TUBULAR BODY
- CORPS SUPÉRIEUR TUBULAIRE Ø42MM
- CORPO SUPERIORE TUBOLARE Ø42MM
- CORPO SUPERIOR TUBULAR Ø42MM

3.
- CUERPO DEL GRIFO MANETA 1/4 DE VUELTA
- FAUCET BODY, 1/4 TURN HANDLE
- CORPS DU ROBINET, MANETTE 1/4 DE TOUR
- CORPO RUBINETTO MANIGLIA 1/4 DI GIRO
- CORPO DO MANÍPULO DA TORNEIRA 1/4 DE VOLTA

1.
- ROCIADOR Ø80MM – G-1/2"
- Ø80MM SHOWER HEAD – G 1/2"
- DOUCHE DE TÊTE Ø80MM – G-1/2 "
- SOFFIONE Ø80MM – G-1/2"
- CHUVEIRO Ø80MM – G-1/2"

7.
- LATIGUILLO DE CONEXIÓN RECTO Ø 1/2" 1300/14 MM
- Ø1/2" 1300/14MM HOSE
- FLEXIBLE DE RACCORDEMENT DROIT Ø 1/2" 1300/14 MM
- TUBO DI COLLEGAMENTO DIRITTO Ø 1/2" 1300/14 MM
- FLEXIVEL DE CONEXÃO RECTA Ø 1/2" 1300/14 MM

4.
- CUERPO INFERIOR TUBULAR Ø42MM
- Ø42MM LOWER TUBULAR BODY
- CORPS INFÉRIEUR TUBULAIRE Ø42MM
- CORPO INFERIORE TUBOLARE Ø42MM
- CORPO INFERIOR TUBULAR Ø42MM

5.
- EMBELLECEDOR BASE Ø160MM
- Ø160MM BASE COVER PLATE
- ENJOLIVEUR BASE Ø160MM
- FINITURE BASE Ø160MM
- EMBELEZADOR BASE Ø160MM

6.
- BASE DE FIJACION Ø152MM
- Ø152MM FIXING BASE
- BASE DE FIXATION Ø152MM
- BASE DI FISSAGGIO Ø152MM
- BASE DE FIXAÇÃO Ø152MM

FLOW RATE REF	GPP001/ACL
TOP SHOWER 0.1MPA(L/MIN)	4.7
TOP SHOWER 0.3MPA(L/MIN)	12.6
TOP SHOWER 0.5MPA(L/MIN)	17.8



PRODUCT SIZE(CM)	126.5*53.7*10.7
WEIGHT(KG)	8.3
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55°C
MIN.TEMPERATURE	0°C



COD.: 00382

GPP001/ACL

GRIFERÍA DE PISCINA POOL ACERO S.316
ROSA CORAL





POOL

GPP001/AMK

POOL SERIES

POOL SERIES

AC316 POOLIMEX ANTICORROSION



1.

ROCIADOR Ø80MM – G-1/2"
Ø80MM SHOWER HEAD – G 1/2"
DOUCHE DE TÊTE Ø80MM – G-1/2 "
SOFFIONE Ø80MM – G-1/2"
CHUVEIRO Ø80MM – G-1/2"

2.

CUERPO SUPERIOR TUBULAR Ø42MM
Ø42MM UPPER TUBULAR BODY
CORPS SUPÉRIEUR TUBULAIRE Ø42MM
CORPO SUPERIORE TUBOLARE Ø42MM
CORPO SUPERIOR TUBULAR Ø42MM

3.

CUERPO DEL GRIFO MANETA 1/4 DE VUELTA
FAUCET BODY, 1/4 TURN HANDLE
CORPS DU ROBINET, MANETTE 1/4 DE TOUR
CORPO RUBINETTO MANIGLIA 1/4 DI GIRO
CORPO DO MANÍPULO DA TORNEIRA 1/4 DE VOLTA

4.

CUERPO INFERIOR TUBULAR Ø42MM
Ø42MM LOWER TUBULAR BODY
CORPS INFÉRIEUR TUBULAIRE Ø42MM
CORPO INFERIORE TUBOLARE Ø42MM
CORPO INFERIOR TUBULAR Ø42MM

5.

EMBELLECEDOR BASE Ø160MM
Ø160MM BASE COVER PLATE
ENJOLIVEUR BASE Ø160MM
FINITURE BASE Ø160MM
EMBELEZADOR BASE Ø160MM

6.

BASE DE FIJACION Ø152MM
Ø152MM FIXING BASE
BASE DE FIXATION Ø152MM
BASE DI FISSAGGIO Ø152MM
BASE DE FIXAÇÃO Ø152MM

7.

LATIGUILLO DE CONEXIÓN RECTO Ø 1/2" 1300/14 MM
Ø1/2" 1300/14MM HOSE
FLEXIBLE DE RACCORDEMENT DROIT Ø 1/2" 1300/14 MM
TUBO DI COLLEGAMENTO DIRITTO Ø 1/2" 1300/14 MM
FLEXIVEL DE CONEXÃO RECTA Ø 1/2" 1300/14 MM

FLOW RATE REF	GPP001/AMK
TOP SHOWER 0.1MPA(L/MIN)	4.7
TOP SHOWER 0.3MPA(L/MIN)	12.6
TOP SHOWER 0.5MPA(L/MIN)	17.8



PRODUCT SIZE(CM)	126.5*53.7*10.7
WEIGHT(KG)	8.3
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55°C
MIN.TEMPERATURE	0°C



COD.: 00382

GPP001/AMK

GRIFERÍA DE PISCINA POOL ACERO S.316
MOKA

POOL

GPP001/AGCB

POOL SERIES

POOL SERIES



2.
- CUERPO SUPERIOR TUBULAR Ø42MM
- Ø42MM UPPER TUBULAR BODY
- CORPS SUPÉRIEUR TUBULAIRE Ø42MM
- CORPO SUPERIORE TUBOLARE Ø42MM
- CORPO SUPERIOR TUBULAR Ø42MM

3.
- CUERPO DEL GRIFO MANETA 1/4 DE VUELTA
- FAUCET BODY, 1/4 TURN HANDLE
- CORPS DU ROBINET, MANETTE 1/4 DE TOUR
- CORPO RUBINETTO MANIGLIA 1/4 DI GIRO
- CORPO DO MANÍPULO DA TORNEIRA 1/4 DE VOLTA

1.
- ROCIADOR Ø80MM – G-1/2"
- Ø80MM SHOWER HEAD – G 1/2"
- DOUCHE DE TÊTE Ø80MM – G-1/2 "
- SOFFIONE Ø80MM – G-1/2"
- CHUVEIRO Ø80MM – G-1/2"

7.
- LATIGUILLO DE CONEXIÓN RECTO Ø 1/2" 1300/14 MM
- Ø1/2" 1300/14MM HOSE
- FLEXIBLE DE RACCORDEMENT DROIT Ø 1/2" 1300/14 MM
- TUBO DI COLLEGAMENTO DIRITTO Ø 1/2" 1300/14 MM
- FLEXIVEL DE CONEXÃO RECTA Ø 1/2" 1300/14 MM

4.
- CUERPO INFERIOR TUBULAR Ø42MM
- Ø42MM LOWER TUBULAR BODY
- CORPS INFÉRIEUR TUBULAIRE Ø42MM
- CORPO INFERIORE TUBOLARE Ø42MM
- CORPO INFERIOR TUBULAR Ø42MM

5.
- EMBELLECEDOR BASE Ø160MM
- Ø160MM BASE COVER PLATE
- ENJOLIVEUR BASE Ø160MM
- FINITURE BASE Ø160MM
- EMBELEZADOR BASE Ø160MM

6.
- BASE DE FIJACION Ø152MM
- Ø152MM FIXING BASE
- BASE DE FIXATION Ø152MM
- BASE DI FISSAGGIO Ø152MM
- BASE DE FIXAÇÃO Ø152MM

FLOW RATE REF	GPP001/AGCB
TOP SHOWER 0.1MPA(L/MIN)	4.7
TOP SHOWER 0.3MPA(L/MIN)	12.6
TOP SHOWER 0.5MPA(L/MIN)	17.8





PRODUCT SIZE(CM)	126.5*53.7*10.7
WEIGHT(KG)	8.3
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55°C
MIN.TEMPERATURE	0°C



COD.: 00382

GPP001/AGCB

GRIFERÍA DE PISCINA POOL ACERO S.316
GRIS COBALTO

ALASKA

GPA002/AC

ALASKA SERIES

ALASKA SERIES

AC316 POOLIMEX ANTICORROSION



2.

- CUERPO SUPERIOR TUBULAR Ø25MM
- Ø25MM TUBULAR UPPER BODY
- CORPS SUPÉRIEUR TUBULAIRE Ø25MM
- CORPO SUPERIORE TUBOLARE Ø25MM
- CORPO SUPERIOR TUBULAR Ø25MM

3.

- CUERPO DEL GRIFO MANETA 1/4 DE VUELTA
- FAUCET BODY, 1/4 TURN HANDLE
- CORPS DU ROBINET, MANETTE 1/4 DE TOUR
- CORPO RUBINETTO MANIGLIA 1/4 DI GIRO
- CORPO DO MANÍPULO DA TORNEIRA 1/4 DE VUELTA

1.

- ROCIADOR Ø250MM – G-1/2"
- Ø250MM SHOWER HEAD – G 1/2"
- DOUCHE DE TÊTE Ø250MM – G-1/2 "
- SOFFIONE Ø250MM – G-1/2"
- CHUVEIRO Ø250MM – G-1/2"

7.

- LATIGUILLO Ø1/2" 1300/14MM
- Ø1/2" 1300/14MM HOSE
- FLEXIBLE Ø1/2" 1300/14MM
- TUBO DI COLLEGAMENTO Ø1/2" 1300/14MM
- FLEXIVEL Ø1/2" 1300/14MM

4.

- CUERPO INFERIOR TUBULAR Ø42MM
- Ø42MM TUBULAR LOWER BODY
- CORPS INFÉRIEUR TUBULAIRE Ø42MM
- CORPO INFERIORE TUBOLARE Ø42MM
- CORPO INFERIOR TUBULAR Ø42MM

5.

- EMBELLECEDOR BASE Ø160MM
- Ø160MM BASE COVER PLATE
- ENJOLIVEUR BASE Ø160MM
- FINITURE BASE Ø160MM
- EMBELEZADOR BASE Ø160MM

6.

- BASE DE FIJACIÓN Ø152MM
- Ø152MM FIXING BASE
- BASE DE FIXATION Ø152MM
- BASE DI FISSAGGIO Ø152MM
- BASE DE FIXAÇÃO Ø152MM

FLOW RATE REF	GPA002/AC
TOP SHOWER 0.1MPA(L/MIN)	4.9
TOP SHOWER 0.3MPA(L/MIN)	13.3
TOP SHOWER 0.5MPA(L/MIN)	18.5



PRODUCT SIZE(CM)	26.5*53.7*10.7
WEIGHT(KG)	7.7
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55°C
MIN.TEMPERATURE	0°C





GPA002/AC

COD.: 00320

GRIFERÍA DE PISCINA ALASKA ACERO S.316

ALASKA

GPA002/ANG



ALASKA SERIES

AC316 POOLIMEX ANTICORROSION

2.
- CUERPO SUPERIOR TUBULAR Ø25MM
- Ø25MM TUBULAR UPPER BODY
- CORPS SUPÉRIEUR TUBULAIRE Ø25MM
- CORPO SUPERIORE TUBOLARE Ø25MM
- CORPO SUPERIOR TUBULAR Ø25MM

3.
- CUERPO DEL GRIFO MANETA 1/4 DE VUELTA
- FAUCET BODY, 1/4 TURN HANDLE
- CORPS DU ROBINET, MANETTE 1/4 DE TOUR
- CORPO RUBINETTO MANIGLIA 1/4 DI GIRO
- CORPO DO MANÍPULO DA TORNEIRA 1/4 DE VUELTA

1.
- ROCIADOR Ø250MM – G-1/2"
- Ø250MM SHOWER HEAD – G 1/2"
- DOUCHE DE TÊTE Ø250MM – G-1/2 "
- SOFFIONE Ø250MM – G-1/2"
- CHUVEIRO Ø250MM – G-1/2"

7.
- LATIGUILLO Ø1/2" 1300/14MM
- Ø1/2" 1300/14MM HOSE
- FLEXIBLE Ø1/2" 1300/14MM
- TUBO DI COLLEGAMENTO Ø1/2" 1300/14MM
- FLEXIVEL Ø1/2" 1300/14MM

4.
- CUERPO INFERIOR TUBULAR Ø42MM
- Ø42MM TUBULAR LOWER BODY
- CORPS INFÉRIEUR TUBULAIRE Ø42MM
- CORPO INFERIORE TUBOLARE Ø42MM
- CORPO INFERIOR TUBULAR Ø42MM

5.
- EMBELLECEDOR BASE Ø160MM
- Ø160MM BASE COVER PLATE
- ENJOLIVEUR BASE Ø160MM
- FINITURE BASE Ø160MM
- EMBELEZADOR BASE Ø160MM

6.
- BASE DE FIJACIÓN Ø152MM
- Ø152MM FIXING BASE
- BASE DE FIXATION Ø152MM
- BASE DI FISSAGGIO Ø152MM
- BASE DE FIXAÇÃO Ø152MM

FLOW RATE REF	GPA002/ANG
TOP SHOWER 0.1MPA(L/MIN)	4.9
TOP SHOWER 0.3MPA(L/MIN)	13.3
TOP SHOWER 0.5MPA(L/MIN)	18.5







PRODUCT SIZE(CM)	26.5*53.7*10.7
WEIGHT(KG)	7.7
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55°C
MIN.TEMPERATURE	0°C



GPA002/ANG

COD.: 00369

GRIFERÍA DE PISCINA ALASKA ACERO S.316
NEGRO MATE

DAKOTA

GPD003/AC



DAKOTA SERIES

DAKOTA SERIES

AC316 POOLIMEX ANTICORROSION



2.
- CUERPO SUPERIOR TUBULAR Ø25MM
- Ø25MM TUBULAR UPPER BODY
- CORPS SUPÉRIEUR TUBULAIRE Ø25MM
- CORPO SUPERIORE TUBOLARE Ø25MM
- CORPO SUPERIOR TUBULAR Ø25MM

1.
- ROCIADOR Ø250MM – G-1/2"
- Ø250MM SHOWER HEAD – G 1/2"
- DOUCHE DE TÊTE Ø250MM – G-1/2 "
- SOFFIONE Ø250MM – G-1/2"
- CHUVEIRO Ø250MM – G-1/2"

3.
- CUERPO DEL GRIFO,INVERSOR INCORPORADO MANETAS 1/4 DE VUELTA
- FAUCET BODY, INVERTER INCLUDED, 1/4 TURN HANDLE
- CORPS DU ROBINET, INVERSEUR INCORPORÉ, MANETTES 1/4 DE TOUR
- CORPO DEL RUBINETTO, INVESTITORE INTEGRATO, MANIGLIE 1/4 DI GIRO
- CORPO DA TORNEIRA, INVERSOR INCORPORADO, MANIPULO 1/4 DE VUELTA

4.
- CUERPO INFERIOR TUBULAR CON SALIDA DE AGUA Ø42MM
- Ø42MM TUBULAR LOWER BODY WITH WATER OUTLET
- CORPS INFÉRIEUR TUBULAIRE AVEC SORTIE D' EAU Ø42MM
- CORPO INFERIORE TUBOLARE CON USCITA ACQUA Ø42MM
- CORPO INFERRIOR TUBULAR CO SAÍDA DE ÁGUA Ø42MM

8.
- LATIGUILLO Ø1/2" 1300/12MM
- Ø1/2" 1300/12MM HOSE
- FLEXIBLE Ø1/2" 1300/12MM
- TUBO DI COLLEGAMENTO Ø1/2" 1300/12MM
- FLEXIVEL Ø1/2" 1300/12MM

5.
- SALIDA LAVAPIES CON ROTULA Ø1/2"
- Ø1/2" FOOTBATH OUTLET WITH BALL JOINT
- SORTIE D'EAU LAVE-PIEDS AVEC ROTULE Ø1/2"
- USCITA LAVAPIEDI CON ROTULA Ø1/2"
- SAÍDA LAVA-PÉS COM ROSCA Ø1/2"

6.
- EMBELLECEDOR BASE Ø160MM
- Ø160MM BASE COVER PLATE
- ENJOLIVEUR BASE Ø160MM
- FINITURE BASE Ø160MM
- EMBELEZADOR BASE Ø160MM

7.
- BASE DE FIJACIÓN Ø152MM
- Ø152MM FIXING BASE
- BASE DE FIXATION Ø152MM
- BASE DI FISSAGGIO Ø152MM
- BASE DE FIXAÇÃO Ø152MM

FLOW RATE REF	GPD003/AC

TOP SHOWER 0.1MPA(L/MIN)	3	EFFUENT 0.1MPA(L/MIN)	2.1
TOP SHOWER 0.3MPA(L/MIN)	10.4	EFFUENT 0.3MPA(L/MIN)	6.8
TOP SHOWER 0.5MPA(L/MIN)	14.6	EFFUENT 0.5MPA(L/MIN)	9.8



PRODUCT SIZE(CM)	126.5*53.7*10.7
WEIGHT(KG)	9.1
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.MAX.TEMPERATURE	55ºC
MIN.TEMPERATURE	0ºC





GPD003/AC

COD.: 00361

GRIFERÍA DE PISCINA DAKOTA ACERO S.316

DAKOTA

GPD003/ANG

DAKOTA SERIES

DAKOTA SERIES

AC316 POOLIMEX ANTICORROSION

1.

- ROCIADOR Ø250MM – G-1/2"
- Ø250MM SHOWER HEAD – G 1/2"
- DOUCHE DE TÊTE Ø250MM – G-1/2 "
- SOFFIONE Ø250MM – G-1/2"
- CHUVEIRO Ø250MM – G-1/2"

2.

- CUERPO SUPERIOR TUBULAR Ø25MM
- Ø25MM TUBULAR UPPER BODY
- CORPS SUPÉRIEUR TUBULAIRE Ø25MM
- CORPO SUPERIORE TUBOLARE Ø25MM
- CORPO SUPERIOR TUBULAR Ø25MM

3.

- CUERPO DEL GRIFO,INVERSOR INCORPORADO MANETAS 1/4 DE VUELTA
- FAUCET BODY, INVERTER INCLUDED, 1/4 TURN HANDLE
- CORPS DU ROBINET, INVERSEUR INCORPORÉ, MANETTES 1/4 DE TOUR
- CORPO DEL RUBINETTO, INVESTITORE INTEGRATO, MANIGLIE 1/4 DI GIRO
- CORPO DA TORNEIRA, INVERSOR INCORPORADO, MANIPULO 1/4 DE VUELTA

4.

- CUERPO INFERIOR TUBULAR CON SALIDA DE AGUA Ø42MM
- Ø42MM TUBULAR LOWER BODY WITH WATER OUTLET
- CORPS INFÉRIEUR TUBULAIRE AVEC SORTIE D' EAU Ø42MM
- CORPO INFERIORE TUBOLARE CON USCITA ACQUA Ø42MM
- CORPO INFERRIOR TUBULAR CO SAÍDA DE ÁGUA Ø42MM

8.

- LATIGUILLO Ø1/2" 1300/12MM
- Ø1/2" 1300/12MM HOSE
- FLEXIBLE Ø1/2" 1300/12MM
- TUBO DI COLLEGAMENTO Ø1/2" 1300/12MM
- FLEXIVEL Ø1/2" 1300/12MM

5.

- SALIDA LAVAPIES CON ROTULA Ø1/2"
- Ø1/2" FOOTBATH OUTLET WITH BALL JOINT
- SORTIE D' EAU LAVE-PIEDS AVEC ROTULE Ø1/2"
- USCITA LAVAPIEDI CON ROTULA Ø1/2"
- SAÍDA LAVA-PÉS COM ROSCA Ø1/2"

6.

- EMBELLECEDOR BASE Ø160MM
- Ø160MM BASE COVER PLATE
- ENJOLIVEUR BASE Ø160MM
- FINITURE BASE Ø160MM
- EMBELEZADOR BASE Ø160MM

7.

- BASE DE FIJACIÓN Ø152MM
- Ø152MM FIXING BASE
- BASE DE FIXATION Ø152MM
- BASE DI FISSAGGIO Ø152MM
- BASE DE FIXAÇÃO Ø152MM

FLOW RATE REF	GPD003/ANG

TOP SHOWER 0.1MPA(L/MIN)	3	EFFUENT 0.1MPA(L/MIN)	2.1
TOP SHOWER 0.3MPA(L/MIN)	10.4	EFFUENT 0.3MPA(L/MIN)	6.8
TOP SHOWER 0.5MPA(L/MIN)	14.6	EFFUENT 0.5MPA(L/MIN)	9.8







PRODUCT SIZE(CM)	126.5*53.7*10.7
WEIGHT(KG)	9.1
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.MAX.TEMPERATURE	55ºC
MIN.TEMPERATURE	0ºC



GPD003/ANG

COD.: 00410

GRIFERÍA DE PISCINA DAKOTA ACERO S.316
NEGRO MATE


COLORADO
GPC004/AC

COLORADO SERIES

COLORADO SERIES

AC316 POOLIMEX ANTICORROSION



2.
- CUERPO SUPERIOR TUBULAR Ø25MM
- Ø42MM TUBULAR UPPER BODY
- CORPS SUPÉRIEUR TUBULAIRE Ø25MM
- CORPO SUPERIORE TUBOLARE Ø25MM
- CORPO SUPERIOR TUBULAR Ø25MM

3.
- CUERPO DEL GRIFO TEMPORIZADO 15"
- TIMED-FLOW FAUCET BODY 15″
- CORPS DU ROBINET TEMPORISÉ 15″
- CORPO RUBINETTO TIMER15″
- CORPO DA TORNEIRA, TEMPORIZADOR 15″

1.
- ROCIADOR Ø250MM – G-1/2″
- Ø250MM SHOWER HEAD – G 1/2"
- DOUCHE DE TÊTE Ø250MM – G-1/2 "
- SOFFIONE Ø250MM – G-1/2″
- CHUVEIRO Ø250MM – G-1/2″

7.
- LATIGUILLO DE CONEXIÓN RECTO Ø1/2″ 1300/14MM
- Ø1/2″ 1300/14MM STRAIGHT HOSE
- FLEXIBLE DE RACCORDEMENT DROIT Ø1/2" 1300/14MM
- TUBO DI COLLEGAMENTO DIRITTO Ø1/2″ 1300/14MM
- FLEXIVEL Ø1/2″ 1300/14MM

4.
- CUERPO INFERIOR TUBULAR Ø42MM
- Ø42MM TUBULAR LOWER BODY
- CORPS INFÉRIEUR TUBULAIRE Ø42MM
- CORPO INFERIORE TUBOLARE Ø42MM
- CORPO INFERIOR TUBULAR Ø42MM

5.
- EMBELLECEDOR BASE Ø160MM
- Ø160MM BASE COVER PLATE
- ENJOLIVEUR BASE Ø160MM
- FINITURE BASE Ø160MM
- EMBELEZADOR BASE Ø160MM

6.
- BASE DE FIJACIÓN Ø152MM
- Ø152MM FIXING BASE
- BASE DE FIXATION Ø152MM
- BASE DI FISSAGGIO Ø152MM
- BASE DE FIXAÇÃO Ø152MM

FLOW RATE REF	GPC004/AC
TOP SHOWER 0.1MPA(L/MIN)	4.1
TOP SHOWER 0.3MPA(L/MIN)	11.8
TOP SHOWER 0.5MPA(L/MIN)	16.7



PRODUCT SIZE(CM)	126.5*53.7*10.7
WEIGHT(KG)	7.8
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55°C
MIN.TEMPERATURE	0°C



GPC004/AC

COD.: 00328

GRIFERÍA DE PISCINA COLORADO ACERO S.316

TEXAS
GPT005/AC

TEXAS SERIES

TEXAS SERIES

AC316 POOLIMEX ANTICORROSION

2.

- CUERPO SUPERIOR TUBULAR Ø42MM
- Ø42MM TUBULAR UPPER BODY
- CORPS SUPÉRIEUR TUBULAIRE Ø42MM
- CORPO SUPERIORE TUBOLARE Ø42MM
- CORPO SUPERIOR TUBULAR Ø42MM

3.

- CUERPO DEL GRIFO MANETA 1/4 DE VUELTA
- FAUCET BODY, 1/4 TURN HANDLE
- CORPS DU ROBINET, MANETTE 1/4 DE TOUR
- CORPO RUBINETTO MANIGLIA 1/4 DI GIRO
- CORPO DO MANÍPULO DA TORNEIRA 1/4 DE VUELTA

1.

- ROCIADOR TUBULAR Ø42MM
- Ø42MM TUBULAR SHOWER HEAD
- DOUCHE DE TÊTE TUBULAIRE Ø42MM
- SOFFIONE TUBOLARE Ø42MM
- CHUVEIRO TUBULAR Ø42MM

7.

- LATIGUILLO Ø1/2" 1300/14MM
- Ø1/2" 1300/14MM HOSE
- FLEXIBLE Ø1/2" 1300/14MM
- TUBO DI COLLEGAMENTO Ø1/2" 1300/14MM
- FLEXIVEL Ø1/2" 1300/14MM

4.

- CUERPO INFERIOR TUBULAR Ø42MM
- Ø42MM TUBULAR LOWER BODY
- CORPS INFÉRIEUR TUBULAIRE Ø42MM
- CORPO INFERIORE TUBOLARE Ø42MM
- CORPO INFERIOR TUBULAR Ø42MM

5.

- EMBELLECEDOR BASE Ø160MM
- Ø160MM BASE COVER PLATE
- ENJOLIVEUR BASE Ø160MM
- FINITURE BASE Ø160MM
- EMBELEZADOR BASE Ø160MM

6.

- BASE DE FIJACIÓN Ø152MM
- Ø152MM FIXING BASE
- BASE DE FIXATION Ø152MM
- BASE DI FISSAGGIO Ø152MM
- BASE DE FIXAÇÃO Ø152MM

FLOW RATE REF	GPT005/AC
TOP SHOWER 0.1MPA(L/MIN)	6
TOP SHOWER 0.3MPA(L/MIN)	15.8
TOP SHOWER 0.5MPA(L/MIN)	22.1



PRODUCT SIZE(CM)	126.5*53.7*10.7
WEIGHT(KG)	7.8
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55ºC
MIN.TEMPERATURE	0ºC





GPT005/AC

COD.: 00357

GRIFERÍA DE PISCINA TEXAS ACERO S.316



TEXAS

GPT005/ANG

TEXAS SERIES

TEXAS SERIES

1.

- ROCIADOR TUBULAR Ø42MM
- Ø42MM TUBULAR SHOWER HEAD
- DOUCHE DE TÊTE TUBULAIRE Ø42MM
- SOFFIONE TUBOLARE Ø42MM
- CHUVEIRO TUBULAR Ø42MM

2.

- CUERPO SUPERIOR TUBULAR Ø42MM
- Ø42MM TUBULAR UPPER BODY
- CORPS SUPÉRIEUR TUBULAIRE Ø42MM
- CORPO SUPERIORE TUBOLARE Ø42MM
- CORPO SUPERIOR TUBULAR Ø42MM

3.

- CUERPO DEL GRIFO MANETA 1/4 DE VUELTA
- FAUCET BODY, 1/4 TURN HANDLE
- CORPS DU ROBINET, MANETTE 1/4 DE TOUR
- CORPO RUBINETTO MANIGLIA 1/4 DI GIRO
- CORPO DO MANÍPULO DA TORNEIRA 1/4 DE VUELTA

4.

- CUERPO INFERIOR TUBULAR Ø42MM
- Ø42MM TUBULAR LOWER BODY
- CORPS INFÉRIEUR TUBULAIRE Ø42MM
- CORPO INFERIORE TUBOLARE Ø42MM
- CORPO INFERIOR TUBULAR Ø42MM

5.

- EMBELLECEDOR BASE Ø160MM
- Ø160MM BASE COVER PLATE
- ENJOLIVEUR BASE Ø160MM
- FINITURE BASE Ø160MM
- EMBELEZADOR BASE Ø160MM

6.

- BASE DE FIJACIÓN Ø152MM
- Ø152MM FIXING BASE
- BASE DE FIXATION Ø152MM
- BASE DI FISSAGGIO Ø152MM
- BASE DE FIXAÇÃO Ø152MM

7.

- LATIGUILLO Ø1/2" 1300/14MM
- Ø1/2" 1300/14MM HOSE
- FLEXIBLE Ø1/2" 1300/14MM
- TUBO DI COLLEGAMENTO Ø1/2" 1300/14MM
- FLEXIVEL Ø1/2" 1300/14MM

FLOW RATE REF	GPT005/ANG
TOP SHOWER 0.1MPA(L/MIN)	6
TOP SHOWER 0.3MPA(L/MIN)	15.8
TOP SHOWER 0.5MPA(L/MIN)	22.1



PRODUCT SIZE(CM)	126.5*53.7*10.7
WEIGHT(KG)	7.8
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55ºC
MIN.TEMPERATURE	0ºC



COD.: 00394

GPT005/ANG

GRIFERÍA DE PISCINA TEXAS ACERO S.316
NEGRO MATE

OREGON

GPO006/AC

OREGON SERIES

OREGON SERIES

AC316 POOLIMEX ANTICORROSION



2.
- CUERPO SUPERIOR TUBULAR Ø50MM
- Ø50MM TUBULAR UPPER BODY
- CORPS SUPÉRIEUR TUBULAIRE Ø50MM
- CORPO SUPERIORE TUBOLARE Ø50MM
- CORPO SUPERIOR TUBULAR Ø50MM

3.
- CUERPO DEL GRIFO MANETA 1/4 DE VUELTA
- FAUCET BODY, 1/4 TURN HANDLE
- CORPS DU ROBINET, MANETTE 1/4 DE TOUR
- CORPO RUBINETTO MANIGLIA 1/4 DI GIRO
- CORPO DO MANÍPULO DA TORNEIRA 1/4 DE VUELTA

1.
- ROCIADOR Ø250MM – G-1/2″
- Ø250MM SHOWER HEAD – G 1/2"
- DOUCHE DE TÊTE Ø250MM – G-1/2 "
- SOFFIONE Ø250MM – G-1/2″
- CHUVEIRO Ø250MM – G-1/2″

7.
- LATIGUILLO Ø1/2″ 1300/14MM
- Ø1/2″ 1300/14MM CONNECTING PLUG
- FLEXIBLE Ø1/2" 1300/14MM
- TUBO DI COLLEGAMENTO Ø1/2″ 1300/14MM
- FLEXIVEL Ø1/2″ 1300/14MM

4.
- CUERPO INFERIOR TUBULAR Ø50MM
- Ø50MM TUBULAR LOWER BODY
- CORPS INFÉRIEUR TUBULAIRE Ø50MM
- CORPO INFERIORE TUBOLARE Ø50MM
- CORPO INFERIOR TUBULAR Ø50MM

5.
- EMBELLECEDOR BASE Ø160MM
- Ø160MM BASE COVER PLATE
- ENJOLIVEUR BASE Ø160MM
- FINITURE BASE Ø160MM
- EMBELEZADOR BASE Ø160MM

6.
- BASE DE FIJACIÓN Ø152MM
- Ø152MM FIXING BASE
- BASE DE FIXATION Ø152MM
- BASE DI FISSAGGIO Ø152MM
- BASE DE FIXAÇÃO Ø152MM

FLOW RATE REF	GPO006/AC
TOP SHOWER 0.1MPA(L/MIN)	5.4
TOP SHOWER 0.3MPA(L/MIN)	14.7
TOP SHOWER 0.5MPA(L/MIN)	20.5



PRODUCT SIZE(CM)	126.5*53.7*10.7
WEIGHT(KG)	9.4
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55ºC
MIN.TEMPERATURE	0ºC



COD.: 00468

GPO006/AC

GRIFERÍA DE PISCINA OREGON ACERO S.316

OREGON

GPO006/ANG



OREGON SERIES

OREGON SERIES

AC316 POOLIMEX ANTICORROSION

1.

- ROCIADOR Ø250MM – G-1/2”
- Ø250MM SHOWER HEAD – G 1/2"
- DOUCHE DE TÊTE Ø250MM – G-1/2 "
- SOFFIONE Ø250MM – G-1/2”
- CHUVEIRO Ø250MM – G-1/2”

2.

- CUERPO SUPERIOR TUBULAR Ø50MM
- Ø50MM TUBULAR UPPER BODY
- CORPS SUPÉRIEUR TUBULAIRE Ø50MM
- CORPO SUPERIORE TUBOLARE Ø50MM
- CORPO SUPERIOR TUBULAR Ø50MM

3.

- CUERPO DEL GRIFO MANETA 1/4 DE VUELTA
- FAUCET BODY, 1/4 TURN HANDLE
- CORPS DU ROBINET, MANETTE 1/4 DE TOUR
- CORPO RUBINETTO MANIGLIA 1/4 DI GIRO
- COPOR DO MANÍPULO DA TORNEIRA 1/4 DE VUELTA

4.

- CUERPO INFERIOR TUBULAR Ø50MM
- Ø50MM TUBULAR LOWER BODY
- CORPS INFÉRIEUR TUBULAIRE Ø50MM
- CORPO INFERIORE TUBOLARE Ø50MM
- CORPO INFERIOR TUBULAR Ø50MM

5.

- EMBELLECEDOR BASE Ø160MM
- Ø160MM BASE COVER PLATE
- ENJOLIVEUR BASE Ø160MM
- FINITURE BASE Ø160MM
- EMBELEZADOR BASE Ø160MM

6.

- BASE DE FIJACIÓN Ø152MM
- Ø152MM FIXING BASE
- BASE DE FIXATION Ø152MM
- BASE DI FISSAGGIO Ø152MM
- BASE DE FIXAÇÃO Ø152MM

7.

- LATIGUILLO Ø1/2” 1300/14MM
- Ø1/2” 1300/14MM CONNECTING PLUG
- FLEXIBLE Ø1/2" 1300/14MM
- TUBO DI COLLEGAMENTO Ø1/2” 1300/14MM
- FLEXIVEL Ø1/2” 1300/14MM

FLOW RATE REF	GPO006/ANG
TOP SHOWER 0.1MPA(L/MIN)	5.4
TOP SHOWER 0.3MPA(L/MIN)	14.7
TOP SHOWER 0.5MPA(L/MIN)	20.5





PRODUCT SIZE(CM)	126.5*53.7*10.7
WEIGHT(KG)	9.4
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55ºC
MIN.TEMPERATURE	0ºC



COD.: 00517

GPO006/ANG

GRIFERÍA DE PISCINA OREGON ACERO
S.316 NEGRO MATE



MICHIGAN

GPM007/AC

MICHIGAN SERIES

MICHIGAN SERIES

AC316 POOLIMEX ANTICORROSION



1.

- ROCIADOR Ø250MM – G-1/2”
- Ø250MM SHOWER HEAD – G 1/2"
- DOUCHE DE TÊTE Ø250MM – G-1/2 "
- SOFFIONE Ø250MM – G-1/2”
- CHUVEIRO Ø250MM – G-1/2”

2.

- CUERPO SUPERIOR TUBULAR Ø50MM
- Ø50MM TUBULAR UPPER BODY
- CORPS SUPÉRIEUR TUBULAIRE Ø50MM
- CORPO SUPERIORE TUBOLARE Ø50MM
- CORPO SUPERIOR TUBULAR Ø50MM

3.

- CUERPO DEL GRIFO, INVERSOR INCORPORADO MANETAS 1/4 DE VUELTA
- FAUCET BODY, INVERTER INCLUDED, 1/4 TURN HANDLE
- CORPS DU ROBINET, INVERSEUR INCORPORÉ, MANETTES 1/4 DE TOUR
- CORPO DEL RUBINETTO, INVESTITORE INTEGRATO, MANIGLIE 1/4 DI GIRO
- CORPO DA TORNEIRA, INVERSOR INCORPORADO, MANIPULOS 1/4 DE VUELTA

4.

- CUERPO INFERIOR TUBULAR CON SALIDA DE AGUA Ø50MM
- Ø50MM TUBULAR LOWER BODY WITH WATER OUTLET
- CORPS INFÉRIEUR TUBULAIRE AVEC SORTIE D’ EAU Ø50MM
- CORPO INFERIORE TUBOLARE CON USCITA ACQUA Ø50MM
- CORPO INFERRIOR TUBULAR CO SAÍDA DE ÁGUA Ø50MM,

5.

- SALIDA LAVAPIES CON ROTULA Ø1/2”
- Ø1/2” FOOTBATH OUTLET WITH BALL JOINT
- SORTIE D’ EAU LAVE-PIEDS AVEC ROTULE Ø1/2”
- USCITA LAVAPIEDI CON ROTULA Ø1/2”
- SAÍDA LAVA-PÉS COM ROSCA Ø1/2”

6.

- EMBELLECEDOR BASE Ø160MM
- Ø160MM BASE COVER PLATE
- ENJOLIVEUR BASE Ø160MM
- FINITURE BASE Ø160MM
- EMBELEZADOR BASE Ø160MM

7.

- BASE DE FIJACIÓN Ø152MM
- Ø152MM FIXING BASE
- BASE DE FIXATION Ø152MM
- BASE DI FISSAGGIO Ø152MM
- BASE DE FIXAÇÃO Ø152MM

8.

- LATIGUILLO Ø1/2” 1300/12MM
- Ø1/2” 1300/12MM
- HOSE FLEXIBLE Ø1/2" 1300/12MM
- TUBO DI COLLEGAMENTO Ø1/2” 1300/12MM
- FLEXIVEL Ø1/2” 1300/12MM

FLOW RATE REF	GPM007/AC

TOP SHOWER 0.1MPA(L/MIN)	3.1	EFFUENT 0.1MPA(L/MIN)	2.8
TOP SHOWER 0.3MPA(L/MIN)	10.5	EFFUENT 0.3MPA(L/MIN)	7.7
TOP SHOWER 0.5MPA(L/MIN)	14.8	EFFUENT 0.5MPA(L/MIN)	10.8





PRODUCT SIZE(CM)	126.5*53.7*10.7
WEIGHT(KG)	10.7
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55ºC
MIN.TEMPERATURE	0ºC



COD.: 00525

GPM007/AC

GRIFERÍA DE PISCINA MICHIGAN ACERO S.316

MICHIGAN

GPM007/ANG

MICHIGAN SERIES

MICHIGAN SERIES

AC316 POOLIMEX ANTICORROSION



1.

- ROCIADOR Ø250MM – G-1/2”
- Ø250MM SHOWER HEAD – G 1/2"
- DOUCHE DE TÊTE Ø250MM – G-1/2 "
- SOFFIONE Ø250MM – G-1/2”
- CHUVEIRO Ø250MM – G-1/2”

2.

- CUERPO SUPERIOR TUBULAR Ø50MM
- Ø50MM TUBULAR UPPER BODY
- CORPS SUPÉRIEUR TUBULAIRE Ø50MM
- CORPO SUPERIORE TUBOLARE Ø50MM
- CORPO SUPERIOR TUBULAR Ø50MM

3.

- CUERPO DEL GRIFO, INVERSOR INCORPORADO MANETAS 1/4 DE VUELTA
- FAUCET BODY, INVERTER INCLUDED, 1/4 TURN HANDLE
- CORPS DU ROBINET, INVERSEUR INCORPORÉ, MANETTES 1/4 DE TOUR
- CORPO DEL RUBINETTO, INVESTITORE INTEGRATO, MANIGLIE 1/4 DI GIRO
- CORPO DA TORNEIRA, INVERSOR INCORPORADO, MANIPULOS 1/4 DE VUELTA

4.

- CUERPO INFERIOR TUBULAR CON SALIDA DE AGUA Ø50MM
- Ø50MM TUBULAR LOWER BODY WITH WATER OUTLET
- CORPS INFÉRIEUR TUBULAIRE AVEC SORTIE D’ EAU Ø50MM
- CORPO INFERIORE TUBOLARE CON USCITA ACQUA Ø50MM
- CORPO INFERRIOR TUBULAR CO SAÍDA DE ÁGUA Ø50MM,

5.

- SALIDA LAVAPIES CON ROTULA Ø1/2”
- Ø1/2” FOOTBATH OUTLET WITH BALL JOINT
- SORTIE D’ EAU LAVE-PIEDS AVEC ROTULE Ø1/2”
- USCITA LAVAPIEDI CON ROTULA Ø1/2”
- SAÍDA LAVA-PÉS COM ROSCA Ø1/2”

6.

- EMBELLECEDOR BASE Ø160MM
- Ø160MM BASE COVER PLATE
- ENJOLIVEUR BASE Ø160MM
- FINITURE BASE Ø160MM
- EMBELEZADOR BASE Ø160MM

7.

- BASE DE FIJACIÓN Ø152MM
- Ø152MM FIXING BASE
- BASE DE FIXATION Ø152MM
- BASE DI FISSAGGIO Ø152MM
- BASE DE FIXAÇÃO Ø152MM

8.

- LATIGUILLO Ø1/2” 1300/12MM
- Ø1/2” 1300/12MM
- HOSE FLEXIBLE Ø1/2" 1300/12MM
- TUBO DI COLLEGAMENTO Ø1/2” 1300/12MM
- FLEXIVEL Ø1/2” 1300/12MM

FLOW RATE REF	GPM007/ANG

TOP SHOWER 0.1MPA(L/MIN)	3.1	EFFUENT 0.1MPA(L/MIN)	2.8
TOP SHOWER 0.3MPA(L/MIN)	10.5	EFFUENT 0.3MPA(L/MIN)	7.7
TOP SHOWER 0.5MPA(L/MIN)	14.8	EFFUENT 0.5MPA(L/MIN)	10.8





PRODUCT SIZE(CM)	126.5*53.7*10.7
WEIGHT(KG)	10.7
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55ºC
MIN.TEMPERATURE	0ºC



COD.: 00583

GPM007/ANG

GRIFERÍA DE PISCINA MICHIGAN ACERO
S.316 NEGRO MATE



FLORIDA

GPF008/AC

FLORIDA SERIES

FLORIDA SERIES

AC316 POOLIMEX ANTICORROSION

2.
- CUERPO SUPERIOR TUBULAR Ø42MM"
- Ø42MM TUBULAR UPPER BODY
- CORPS SUPÉRIEUR TUBULAIRE Ø42MM
- CORPO SUPERIORE TUBOLARE Ø42MM
- CORPO SUPERIOR TUBULAR Ø42MM

1.
- ROCIADOR Ø250MM – G-1/2"
- Ø250MM SHOWER HEAD – G 1/2"
- DOUCHE DE TÊTE Ø250MM – G-1/2 "
- SOFFIONE Ø250MM – G-1/2"
- CHUVEIRO Ø250MM – G-1/2"

7.
- MANGO DE DUCHA
- SHOWER HAND
- DOUCHETTE À MAIN
- DOCCINO DI DOCCIA
- CHUVEIRO DE MÃO

8.
- FLEXO 150CM
- 150CM HOSE
- FLEXIBLE 150CM
- FLESSIBILE 150CM
- FLEXIVEL 150CM

3.
- CUERPO DEL GRIFO MONOMANDO, INVERSOR / SALIDA FLEXO
- SINGLE LEVER FAUCET BODY, INVERTER / HOSE OUTLET
- CORPS DU ROBINET MONOCOMMANDE, INVERSEUR / SORTIE FLEXIBLE
- CORPO RUBINETTO MISCELATTORE, DEVIATORE/ USCITA FLESSIBILE
- CORPO DA TORNEIRA MONOCOMANDO, INVERSOR / SAÍDA PARA A BICHA FLEXIVEL

9.
- LATIGUILLO Ø1/2" 1300/12MM
- Ø1/2" 1300/12MM HOSE
- FLEXIBLE Ø1/2" 1300/12MM
- TUBO DI COLLEGAMENTO Ø1/2" 1300/12MM
- FLEXIVEL Ø1/2" 1300/12MM

4.
- CUERPO INFERIOR TUBULAR CON SALIDA DE AGUA Ø42MM
- Ø42MM TUBULAR LOWER BODY WITH WATER OUTLET
- CORPS INFÉRIEUR TUBULAIRE AVEC SORTIE D'EAU Ø42MM
- CORPO INFERIORE TUBOLARE CON USCITA ACQUA Ø42MM
- CORPO INFERRIOR TUBULAR CO SAÍDA DE ÁGUA Ø42MM,

5.
- EMBELLECEDOR BASE Ø160MM
- Ø160MM BASE COVER PLATE
- ENJOLIVEUR BASE Ø160MM
- FINITURE BASE Ø160MM
- EMBELEZADOR BASE Ø160MM

6.
- BASE DE FIJACIÓN Ø152MM
- Ø152MM FIXING BASE
- BASE DE FIXATION Ø152MM
- BASE DI FISSAGGIO Ø152MM
- BASE DE FIXAÇÃO Ø152MM

FLOW RATE REF GPF008/AC

HAND SHOWER MIXER WATER 0.1MPA(L/MIN)	2.2
HAND SHOWER MIXER WATER 0.3MPA(L/MIN)	6.9
HAND SHOWER MIXER WATER 0.5MPA(L/MIN)	9.8
HAND SHOWER SINGER COLD WATER 0.1MPA(L/MIN)	1.3
HAND SHOWER SINGER COLD WATER 0.3MPA(L/MIN)	4.9
HAND SHOWER SINGER COLD WATER 0.5MPA(L/MIN)	6.8

SHOWER HEAD MIXER WATER 0.1MPA(L/MIN)	3.3
SHOWER HEAD MIXER WATER 0.3MPA(L/MIN)	9.3
SHOWER HEAD MIXER WATER 0.5MPA(L/MIN)	13
SHOWER HEAD SINGER COLD WATER 0.1MPA(L/MIN)	1.9
SHOWER HEAD SINGER COLD WATER 0.3MPA(L/MIN)	5.6
SHOWER HEAD SINGER COLD WATER 0.5MPA(L/MIN)	7.7









PRODUCT SIZE(CM)	126.5*53.7*10.7
WEIGHT(KG)	9.6
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55ºC
MIN.TEMPERATURE	0ºC



COD.: 00456

GPF008/AC

GRIFERÍA DE PISCINA FLORIDA ACERO S.316



FLORIDA

GPF008/ANG

FLORIDA SERIES

FLORIDA SERIES

AC316 POOLIMEX ANTICORROSION



2.
- CUERPO SUPERIOR TUBULAR Ø42MM"
- Ø42MM TUBULAR UPPER BODY
- CORPS SUPÉRIEUR TUBULAIRE Ø42MM
- CORPO SUPERIORE TUBOLARE Ø42MM
- CORPO SUPERIOR TUBULAR Ø42MM

1.
- ROCIADOR Ø250MM – G-1/2"
- Ø250MM SHOWER HEAD – G 1/2"
- DOUCHE DE TÊTE Ø250MM – G-1/2 "
- SOFFIONE Ø250MM – G-1/2"
- CHUVEIRO Ø250MM – G-1/2"

7.
- MANGO DE DUCHA
- SHOWER HAND
- DOUCHETTE À MAIN
- DOCCINO DI DOCCIA
- CHUVEIRO DE MÃO

8.
- FLEXO 150CM
- 150CM HOSE
- FLEXIBLE 150CM
- FLESSIBILE 150CM
- FLEXIVEL 150CM

3.
- CUERPO DEL GRIFO MONOMANDO, INVERSOR / SALIDA FLEXO
- SINGLE LEVER FAUCET BODY, INVERTER / HOSE OUTLET
- CORPS DU ROBINET MONOCOMMANDE, INVERSEUR / SORTIE FLEXIBLE
- CORPO RUBINETTO MISCELATTORE, DEVIATORE/ USCITA FLESSIBILE
- CORPO DA TORNEIRA MONOCOMANDO, INVERSOR / SAÍDA PARA A BICHA FLEXIVEL

9.
- LATIGUILLO Ø1/2" 1300/12MM
- Ø1/2" 1300/12MM HOSE
- FLEXIBLE Ø1/2" 1300/12MM
- TUBO DI COLLEGAMENTO Ø1/2" 1300/12MM
- FLEXIVEL Ø1/2" 1300/12MM

4.
- CUERPO INFERIOR TUBULAR CON SALIDA DE AGUA Ø42MM
- Ø42MM TUBULAR LOWER BODY WITH WATER OUTLET
- CORPS INFÉRIEUR TUBULAIRE AVEC SORTIE D'EAU Ø42MM
- CORPO INFERIORE TUBOLARE CON USCITA ACQUA Ø42MM
- CORPO INFERRIOR TUBULAR CO SAÍDA DE ÁGUA Ø42MM,

5.
- EMBELLECEDOR BASE Ø160MM
- Ø160MM BASE COVER PLATE
- ENJOLIVEUR BASE Ø160MM
- FINITURE BASE Ø160MM
- EMBELEZADOR BASE Ø160MM

6.
- BASE DE FIJACIÓN Ø152MM
- Ø152MM FIXING BASE
- BASE DE FIXATION Ø152MM
- BASE DI FISSAGGIO Ø152MM
- BASE DE FIXAÇÃO Ø152MM

FLOW RATE REF GPF008/ANG

HAND SHOWER MIXER WATER 0.1MPA(L/MIN)	2.2
HAND SHOWER MIXER WATER 0.3MPA(L/MIN)	6.9
HAND SHOWER MIXER WATER 0.5MPA(L/MIN)	9.8
HAND SHOWER SINGER COLD WATER 0.1MPA(L/MIN)	1.3
HAND SHOWER SINGER COLD WATER 0.3MPA(L/MIN)	4.9
HAND SHOWER SINGER COLD WATER 0.5MPA(L/MIN)	6.8

SHOWER HEAD MIXER WATER 0.1MPA(L/MIN)	3.3
SHOWER HEAD MIXER WATER 0.3MPA(L/MIN)	9.3
SHOWER HEAD MIXER WATER 0.5MPA(L/MIN)	13
SHOWER HEAD SINGER COLD WATER 0.1MPA(L/MIN)	1.9
SHOWER HEAD SINGER COLD WATER 0.3MPA(L/MIN)	5.6
SHOWER HEAD SINGER COLD WATER 0.5MPA(L/MIN)	7.7





PRODUCT SIZE(CM)	126.5*53.7*10.7
WEIGHT(KG)	9.6
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55ºC
MIN.TEMPERATURE	0ºC



COD.: 00509

GPF008/ANG

GRIFERÍA DE PISCINA FLORIDA ACERO S.316
NEGRO MATE

NEVADA

GPN009/AC

NEVADA SERIES

NEVADA SERIES

1.

- ROCIADOR TUBULAR Ø42MM
- Ø42MM TUBULAR SHOWER HEAD
- DOUCHE DE TÊTE TUBULAIRE Ø42MM
- SOFFIONE TUBOLARE Ø42MM
- CHUVEIRO TUBULAR Ø42MM

2.

- CUERPO SUPERIOR TUBULAR Ø42MM
- Ø42MM TUBULAR UPPER BODY
- CORPS SUPÉRIEUR TUBULAIRE Ø42MM
- CORPO SUPERIORE TUBOLARE Ø42MM
- CORPO SUPERIOR TUBULAR Ø42MM

3.

- CUERPO DEL GRIFO MANETA 1/4 DE VUELTA
- FAUCET BODY, 1/4 TURN HANDLE
- CORPS DU ROBINET, MANETTE 1/4 DE TOUR
- CORPO RUBINETTO MANIGLIA 1/4 DI GIRO
- CORPO DO MANÍPULO DA TORNEIRA 1/4 DE VUELTA

4.

- CUERPO INFERIOR TUBULAR Ø42MM
- Ø42MM TUBULAR LOWER BODY
- CORPS INFÉRIEUR TUBULAIRE Ø42MM
- CORPO INFERIORE TUBOLARE Ø42MM
- CORPO INFERIOR TUBULAR Ø42MM

5.

- EMBELLECEDOR BASE Ø160MM
- Ø160MM BASE COVER PLATE
- ENJOLIVEUR BASE Ø160MM
- FINITURE BASE Ø160MM
- EMBELEZADOR BASE Ø160MM

6.

- BASE DE FIJACIÓN Ø152MM
- Ø152MM FIXING BASE
- BASE DE FIXATION Ø152MM
- BASE DI FISSAGGIO Ø152MM
- BASE DE FIXAÇÃO Ø152MM

7.

- LATIGUILLO Ø1/2" 1300/14MM
- Ø1/2" 1300/14MM HOSE
- FLEXIBLE Ø1/2" 1300/14MM
- TUBO DI COLLEGAMENTO Ø1/2" 1300/14MM
- FLEXIVEL Ø1/2" 1300/14MM

FLOW RATE REF	GPN009/AC
TOP SHOWER 0.1MPA(L/MIN)	5.8
TOP SHOWER 0.3MPA(L/MIN)	15.8
TOP SHOWER 0.5MPA(L/MIN)	22.1



PRODUCT SIZE(CM)	126.5*53.7*10.7
WEIGHT(KG)	7.9
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55ºC
MIN.TEMPERATURE	0ºC



COD.: 00382

GPN009/AC

GRIFERÍA DE PISCINA NEVADA ACERO S.316



NEVADA

GPN009/ANG

NEVADA SERIES

NEVADA SERIES

AC316 POOLIMEX ANTICORROSION

2.
- CUERPO SUPERIOR TUBULAR Ø42MM
- Ø42MM TUBULAR UPPER BODY
- CORPS SUPÉRIEUR TUBULAIRE Ø42MM
- CORPO SUPERIORE TUBOLARE Ø42MM
- CORPO SUPERIOR TUBULAR Ø42MM

1.
- ROCIADOR TUBULAR Ø42MM
- Ø42MM TUBULAR SHOWER HEAD
- DOUCHE DE TÊTE TUBULAIRE Ø42MM
- SOFFIONE TUBOLARE Ø42MM
- CHUVEIRO TUBULAR Ø42MM

3.
- CUERPO DEL GRIFO MANETA 1/4 DE VUELTA
- FAUCET BODY, 1/4 TURN HANDLE
- CORPS DU ROBINET, MANETTE 1/4 DE TOUR
- CORPO RUBINETTO MANIGLIA 1/4 DI GIRO
- CORPO DO MANÍPULO DA TORNEIRA 1/4 DE VUELTA

7.
- LATIGUILLO Ø1/2" 1300/14MM
- Ø1/2" 1300/14MM HOSE
- FLEXIBLE Ø1/2" 1300/14MM
- TUBO DI COLLEGAMENTO Ø1/2" 1300/14MM
- FLEXIVEL Ø1/2" 1300/14MM

4.
- CUERPO INFERIOR TUBULAR Ø42MM
- Ø42MM TUBULAR LOWER BODY
- CORPS INFÉRIEUR TUBULAIRE Ø42MM
- CORPO INFERIORE TUBOLARE Ø42MM
- CORPO INFERIOR TUBULAR Ø42MM

5.
- EMBELLECEDOR BASE Ø160MM
- Ø160MM BASE COVER PLATE
- ENJOLIVEUR BASE Ø160MM
- FINITURE BASE Ø160MM
- EMBELEZADOR BASE Ø160MM

6.
- BASE DE FIJACIÓN Ø152MM
- Ø152MM FIXING BASE
- BASE DE FIXATION Ø152MM
- BASE DI FISSAGGIO Ø152MM
- BASE DE FIXAÇÃO Ø152MM

FLOW RATE REF	GPN009/ANG
TOP SHOWER 0.1MPA(L/MIN)	5.8
TOP SHOWER 0.3MPA(L/MIN)	15.8
TOP SHOWER 0.5MPA(L/MIN)	22.1



PRODUCT SIZE(CM)	126.5*53.7*10.7
WEIGHT(KG)	7.9
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55ºC
MIN.TEMPERATURE	0ºC



COD.: 00427

GPN009/ANG

GRIFERÍA DE PISCINA NEVADA ACERO S.316
NEGRO MATE



UTAH

GPU010/AC

UTAH SERIES

UTAH SERIES

AC316 POOLIMEX ANTICORROSION



2.
- CUERPO SUPERIOR TUBULAR Ø50MM
- Ø50MM TUBULAR UPPER BODY
- CORPS SUPÉRIEUR TUBULAIRE Ø50MM
- CORPO SUPERIORE TUBOLARE Ø50MM
- CORPO SUPERIOR TUBULAR Ø50MM

1.
- ROCIADOR TUBULAR Ø50MM
- Ø50MM TUBULAR SHOWER HEAD
- DOUCHE DE TÊTE TUBULAIRE Ø50MM
- SOFFIONE TUBOLARE Ø50MM
- CHUVEIRO TUBULAR Ø50MM

3.
- CUERPO DEL GRIFO MANETA 1/4 DE VUELTA
- FAUCET BODY, 1/4 TURN HANDLE
- CORPS DU ROBINET, MANETTE 1/4 DE TOUR
- CORPO RUBINETTO MANIGLIA 1/4 DI GIRO
- CORPO DO MANÍPULO DA TORNEIRA 1/4 DE VUELTA

7.
- LATIGUILLO Ø1/2" 1300/14MM
- Ø1/2" 1300/14MM HOSE
- FLEXIBLE Ø1/2" 1300/14MM
- TUBO DI COLLEGAMENTO Ø1/2" 1300/14MM
- FLEXIVEL Ø1/2" 1300/14MM

4.
- CUERPO INFERIOR TUBULAR Ø50MM
- Ø50MM TUBULAR LOWER BODY
- CORPS INFÉRIEUR TUBULAIRE Ø50MM
- CORPO INFERIORE TUBOLARE Ø50MM
- CORPO INFERIOR TUBULAR Ø50MM

5.
- EMBELLECEDOR BASE Ø160MM
- Ø160MM BASE COVER PLATE
- ENJOLIVEUR BASE Ø160MM
- FINITURE BASE Ø160MM
- EMBELEZADOR BASE Ø160MM

6.
- BASE DE FIJACIÓN Ø152MM
- Ø152MM FIXING BASE
- BASE DE FIXATION Ø152MM
- BASE DI FISSAGGIO Ø152MM
- BASE DE FIXAÇÃO Ø152MM

FLOW RATE REF	GPU010/AC
TOP SHOWER 0.1MPA(L/MIN)	4.7
TOP SHOWER 0.3MPA(L/MIN)	13.7
TOP SHOWER 0.5MPA(L/MIN)	19.4





PRODUCT SIZE(CM)	126.5*53.7*10.7
WEIGHT(KG)	8.5
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55ºC
MIN.TEMPERATURE	0ºC



COD.: 00431

GPU010/AC

GRIFERÍA DE PISCINA UTAH ACERO S.316

UTAH

GPU010/ANG



UTAH SERIES

UTAH SERIES

AC316 POOLIMEX ANTICORROSION

2.
- CUERPO SUPERIOR TUBULAR Ø50MM
- Ø50MM TUBULAR UPPER BODY
- CORPS SUPÉRIEUR TUBULAIRE Ø50MM
- CORPO SUPERIORE TUBOLARE Ø50MM
- CORPO SUPERIOR TUBULAR Ø50MM

1.
- ROCIADOR TUBULAR Ø50MM
- Ø50MM TUBULAR SHOWER HEAD
- DOUCHE DE TÊTE TUBULAIRE Ø50MM
- SOFFIONE TUBOLARE Ø50MM
- CHUVEIRO TUBULAR Ø50MM

3.
- CUERPO DEL GRIFO MANETA 1/4 DE VUELTA
- FAUCET BODY, 1/4 TURN HANDLE
- CORPS DU ROBINET, MANETTE 1/4 DE TOUR
- CORPO RUBINETTO MANIGLIA 1/4 DI GIRO
- CORPO DO MANÍPULO DA TORNEIRA 1/4 DE VUELTA

7.
- LATIGUILLO Ø1/2" 1300/14MM
- Ø1/2" 1300/14MM HOSE
- FLEXIBLE Ø1/2" 1300/14MM
- TUBO DI COLLEGAMENTO Ø1/2" 1300/14MM
- FLEXIVEL Ø1/2" 1300/14MM

4.
- CUERPO INFERIOR TUBULAR Ø50MM
- Ø50MM TUBULAR LOWER BODY
- CORPS INFÉRIEUR TUBULAIRE Ø50MM
- CORPO INFERIORE TUBOLARE Ø50MM
- CORPO INFERIOR TUBULAR Ø50MM

5.
- EMBELLECEDOR BASE Ø160MM
- Ø160MM BASE COVER PLATE
- ENJOLIVEUR BASE Ø160MM
- FINITURE BASE Ø160MM
- EMBELEZADOR BASE Ø160MM

6.
- BASE DE FIJACIÓN Ø152MM
- Ø152MM FIXING BASE
- BASE DE FIXATION Ø152MM
- BASE DI FISSAGGIO Ø152MM
- BASE DE FIXAÇÃO Ø152MM

FLOW RATE REF	GPU010/ANG
TOP SHOWER 0.1MPA(L/MIN)	4.7
TOP SHOWER 0.3MPA(L/MIN)	13.7
TOP SHOWER 0.5MPA(L/MIN)	19.4





PRODUCT SIZE(CM)	126.5*53.7*10.7
WEIGHT(KG)	8.5
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55ºC
MIN.TEMPERATURE	0ºC



GPU010/ANG

COD.: 00480

GRIFERÍA DE PISCINA UTAH ACERO S.316
NEGRO MATE

UTAH

GPU010/AAO



UTAH SERIES

AC316 POOLIMEX ANTICORROSION

2.
- CUERPO SUPERIOR TUBULAR Ø50MM
- Ø50MM TUBULAR UPPER BODY
- CORPS SUPÉRIEUR TUBULAIRE Ø50MM
- CORPO SUPERIORE TUBOLARE Ø50MM
- CORPO SUPERIOR TUBULAR Ø50MM

1.
- ROCIADOR TUBULAR Ø50MM
- Ø50MM TUBULAR SHOWER HEAD
- DOUCHE DE TÊTE TUBULAIRE Ø50MM
- SOFFIONE TUBOLARE Ø50MM
- CHUVEIRO TUBULAR Ø50MM

3.
- CUERPO DEL GRIFO MANETA 1/4 DE VUELTA
- FAUCET BODY, 1/4 TURN HANDLE
- CORPS DU ROBINET, MANETTE 1/4 DE TOUR
- CORPO RUBINETTO MANIGLIA 1/4 DI GIRO
- CORPO DO MANÍPULO DA TORNEIRA 1/4 DE VUELTA

7.
- LATIGUILLO Ø1/2" 1300/14MM
- Ø1/2" 1300/14MM HOSE
- FLEXIBLE Ø1/2" 1300/14MM
- TUBO DI COLLEGAMENTO Ø1/2" 1300/14MM
- FLEXIVEL Ø1/2" 1300/14MM

4.
- CUERPO INFERIOR TUBULAR Ø50MM
- Ø50MM TUBULAR LOWER BODY
- CORPS INFÉRIEUR TUBULAIRE Ø50MM
- CORPO INFERIORE TUBOLARE Ø50MM
- CORPO INFERIOR TUBULAR Ø50MM

5.
- EMBELLECEDOR BASE Ø160MM
- Ø160MM BASE COVER PLATE
- ENJOLIVEUR BASE Ø160MM
- FINITURE BASE Ø160MM
- EMBELEZADOR BASE Ø160MM

6.
- BASE DE FIJACIÓN Ø152MM
- Ø152MM FIXING BASE
- BASE DE FIXATION Ø152MM
- BASE DI FISSAGGIO Ø152MM
- BASE DE FIXAÇÃO Ø152MM

FLOW RATE REF	GPU010/AAO
TOP SHOWER 0.1MPA(L/MIN)	4.7
TOP SHOWER 0.3MPA(L/MIN)	13.7
TOP SHOWER 0.5MPA(L/MIN)	19.4



PRODUCT SIZE(CM)	126.5*53.7*10.7
WEIGHT(KG)	8.5
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55ºC
MIN.TEMPERATURE	0ºC



COD.: 00480

GPU010/AAO

GRIFERÍA DE PISCINA UTAH ACERO S.316
AZUL OCEANO

UTAH

GPU010/ACL



UTAH SERIES

UTAH SERIES

AC316 POOLIMEX ANTICORROSION

2.
- CUERPO SUPERIOR TUBULAR Ø50MM
- Ø50MM TUBULAR UPPER BODY
- CORPS SUPÉRIEUR TUBULAIRE Ø50MM
- CORPO SUPERIORE TUBOLARE Ø50MM
- CORPO SUPERIOR TUBULAR Ø50MM

1.
- ROCIADOR TUBULAR Ø50MM
- Ø50MM TUBULAR SHOWER HEAD
- DOUCHE DE TÊTE TUBULAIRE Ø50MM
- SOFFIONE TUBOLARE Ø50MM
- CHUVEIRO TUBULAR Ø50MM

3.
- CUERPO DEL GRIFO MANETA 1/4 DE VUELTA
- FAUCET BODY, 1/4 TURN HANDLE
- CORPS DU ROBINET, MANETTE 1/4 DE TOUR
- CORPO RUBINETTO MANIGLIA 1/4 DI GIRO
- CORPO DO MANÍPULO DA TORNEIRA 1/4 DE VUELTA

7.
- LATIGUILLO Ø1/2" 1300/14MM
- Ø1/2" 1300/14MM HOSE
- FLEXIBLE Ø1/2" 1300/14MM
- TUBO DI COLLEGAMENTO Ø1/2" 1300/14MM
- FLEXIVEL Ø1/2" 1300/14MM

4.
- CUERPO INFERIOR TUBULAR Ø50MM
- Ø50MM TUBULAR LOWER BODY
- CORPS INFÉRIEUR TUBULAIRE Ø50MM
- CORPO INFERIORE TUBOLARE Ø50MM
- CORPO INFERIOR TUBULAR Ø50MM

5.
- EMBELLECEDOR BASE Ø160MM
- Ø160MM BASE COVER PLATE
- ENJOLIVEUR BASE Ø160MM
- FINITURE BASE Ø160MM
- EMBELEZADOR BASE Ø160MM

6.
- BASE DE FIJACIÓN Ø152MM
- Ø152MM FIXING BASE
- BASE DE FIXATION Ø152MM
- BASE DI FISSAGGIO Ø152MM
- BASE DE FIXAÇÃO Ø152MM

FLOW RATE REF	GPU010/ACL
TOP SHOWER 0.1MPA(L/MIN)	4.7
TOP SHOWER 0.3MPA(L/MIN)	13.7
TOP SHOWER 0.5MPA(L/MIN)	19.4





PRODUCT SIZE(CM)	126.5*53.7*10.7
WEIGHT(KG)	8.5
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55°C
MIN.TEMPERATURE	0°C



COD.: 00480

GPU010/ACL

GRIFERÍA DE PISCINA UTAH ACERO S.316
ROSA CORAL



UTAH

GPU010/AMK

UTAH SERIES

UTAH SERIES

AC316 POOLIMEX ANTICORROSION

2.
- CUERPO SUPERIOR TUBULAR Ø50MM
- Ø50MM TUBULAR UPPER BODY
- CORPS SUPÉRIEUR TUBULAIRE Ø50MM
- CORPO SUPERIORE TUBOLARE Ø50MM
- CORPO SUPERIOR TUBULAR Ø50MM

1.
- ROCIADOR TUBULAR Ø50MM
- Ø50MM TUBULAR SHOWER HEAD
- DOUCHE DE TÊTE TUBULAIRE Ø50MM
- SOFFIONE TUBOLARE Ø50MM
- CHUVEIRO TUBULAR Ø50MM

3.
- CUERPO DEL GRIFO MANETA 1/4 DE VUELTA
- FAUCET BODY, 1/4 TURN HANDLE
- CORPS DU ROBINET, MANETTE 1/4 DE TOUR
- CORPO RUBINETTO MANIGLIA 1/4 DI GIRO
- CORPO DO MANÍPULO DA TORNEIRA 1/4 DE VUELTA

7.
- LATIGUILLO Ø1/2" 1300/14MM
- Ø1/2" 1300/14MM HOSE
- FLEXIBLE Ø1/2" 1300/14MM
- TUBO DI COLLEGAMENTO Ø1/2" 1300/14MM
- FLEXIVEL Ø1/2" 1300/14MM

4.
- CUERPO INFERIOR TUBULAR Ø50MM
- Ø50MM TUBULAR LOWER BODY
- CORPS INFÉRIEUR TUBULAIRE Ø50MM
- CORPO INFERIORE TUBOLARE Ø50MM
- CORPO INFERIOR TUBULAR Ø50MM

5.
- EMBELLECEDOR BASE Ø160MM
- Ø160MM BASE COVER PLATE
- ENJOLIVEUR BASE Ø160MM
- FINITURE BASE Ø160MM
- EMBELEZADOR BASE Ø160MM

6.
- BASE DE FIJACIÓN Ø152MM
- Ø152MM FIXING BASE
- BASE DE FIXATION Ø152MM
- BASE DI FISSAGGIO Ø152MM
- BASE DE FIXAÇÃO Ø152MM

FLOW RATE REF	GPU010/AMK
TOP SHOWER 0.1MPA(L/MIN)	4.7
TOP SHOWER 0.3MPA(L/MIN)	13.7
TOP SHOWER 0.5MPA(L/MIN)	19.4



PRODUCT SIZE(CM)	126.5*53.7*10.7
WEIGHT(KG)	8.5
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55°C
MIN.TEMPERATURE	0°C



COD.: 00480

GPU010/AMK

GRIFERÍA DE PISCINA UTAH ACERO S.316
MOKA

UTAH

GPU010/AGCB

UTAH SERIES

UTAH SERIES

AC316 POOLIMEX ANTICORROSION

2.
- CUERPO SUPERIOR TUBULAR Ø50MM
- Ø50MM TUBULAR UPPER BODY
- CORPS SUPÉRIEUR TUBULAIRE Ø50MM
- CORPO SUPERIORE TUBOLARE Ø50MM
- CORPO SUPERIOR TUBULAR Ø50MM

1.
- ROCIADOR TUBULAR Ø50MM
- Ø50MM TUBULAR SHOWER HEAD
- DOUCHE DE TÊTE TUBULAIRE Ø50MM
- SOFFIONE TUBOLARE Ø50MM
- CHUVEIRO TUBULAR Ø50MM

3.
- CUERPO DEL GRIFO MANETA 1/4 DE VUELTA
- FAUCET BODY, 1/4 TURN HANDLE
- CORPS DU ROBINET, MANETTE 1/4 DE TOUR
- CORPO RUBINETTO MANIGLIA 1/4 DI GIRO
- CORPO DO MANÍPULO DA TORNEIRA 1/4 DE VUELTA

7.
- LATIGUILLO Ø1/2" 1300/14MM
- Ø1/2" 1300/14MM HOSE
- FLEXIBLE Ø1/2" 1300/14MM
- TUBO DI COLLEGAMENTO Ø1/2" 1300/14MM
- FLEXIVEL Ø1/2" 1300/14MM

4.
- CUERPO INFERIOR TUBULAR Ø50MM
- Ø50MM TUBULAR LOWER BODY
- CORPS INFÉRIEUR TUBULAIRE Ø50MM
- CORPO INFERIORE TUBOLARE Ø50MM
- CORPO INFERIOR TUBULAR Ø50MM

5.
- EMBELLECEDOR BASE Ø160MM
- Ø160MM BASE COVER PLATE
- ENJOLIVEUR BASE Ø160MM
- FINITURE BASE Ø160MM
- EMBELEZADOR BASE Ø160MM

6.
- BASE DE FIJACIÓN Ø152MM
- Ø152MM FIXING BASE
- BASE DE FIXATION Ø152MM
- BASE DI FISSAGGIO Ø152MM
- BASE DE FIXAÇÃO Ø152MM

FLOW RATE REF	GPU010/AGCB
TOP SHOWER 0.1MPA(L/MIN)	4.7
TOP SHOWER 0.3MPA(L/MIN)	13.7
TOP SHOWER 0.5MPA(L/MIN)	19.4



PRODUCT SIZE(CM)	126.5*53.7*10.7
WEIGHT(KG)	8.5
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55°C
MIN.TEMPERATURE	0°C



GPU010/AGCB

COD.: 00480

GRIFERÍA DE PISCINA UTAH ACERO S.316
GRIS COBALTO

OKLAHOMA

GPO011/AC

OKLAHOMA SERIES



OKLAHOMA SERIES

AC316 POOLIMEX ANTICORROSION



1.

- ROCIADOR TUBULAR Ø50MM
- Ø50MM TUBULAR SHOWER HEAD
- DOUCHE DE TÊTE TUBULAIRE Ø50MM
- SOFFIONE TUBOLARE Ø50MM
- CHUVEIRO TUBULAR Ø50MM

2.

- CUERPO SUPERIOR TUBULAR Ø50MM
- Ø50MM TUBULAR UPPER BODY
- CORPS SUPÉRIEUR TUBULAIRE Ø50MM
- CORPO SUPERIORE TUBOLARE Ø50MM
- CORPO SUPERIOR TUBULAR Ø50MM

3.

- CUERPO DEL GRIFO MANETA 1/4 DE VUELTA
- FAUCET BODY, 1/4 TURN HANDLE
- CORPS DU ROBINET, MANETTE 1/4 DE TOUR
- CORPO RUBINETTO MANIGLIA 1/4 DI GIRO
- CORPO DO MANÍPULO DA TORNEIRA 1/4 DE VUELTA

4.

- CUERPO INFERIOR TUBULAR Ø50MM
- Ø50MM TUBULAR LOWER BODY
- CORPS INFÉRIEUR TUBULAIRE Ø50MM
- CORPO INFERIORE TUBOLARE Ø50MM
- CORPO INFERIOR TUBULAR Ø50MM

5.

- EMBELLECEDOR BASE Ø160MM
- Ø160MM BASE COVER PLATE
- ENJOLIVEUR BASE Ø160MM
- FINITURE BASE Ø160MM
- EMBELEZADOR BASE Ø160MM

6.

- BASE DE FIJACIÓN Ø152MM
- Ø152MM FIXING BASE
- BASE DE FIXATION Ø152MM
- BASE DI FISSAGGIO Ø152MM
- BASE DE FIXAÇÃO Ø152MM

7.

- LATIGUILLO Ø1/2" 1300/14MM
- Ø1/2" 1300/14MM HOSE
- FLEXIBLE Ø1/2" 1300/14MM
- TUBO DI COLLEGAMENTO Ø1/2" 1300/14MM
- FLEXIVEL Ø1/2" 1300/14MM

FLOW RATE REF	GPO011/AC
TOP SHOWER 0.1MPA(L/MIN)	4.9
TOP SHOWER 0.3MPA(L/MIN)	14.1
TOP SHOWER 0.5MPA(L/MIN)	19.5



PRODUCT SIZE(CM)	126.5*53.7*10.7
WEIGHT(KG)	8.5
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55°C
MIN.TEMPERATURE	0°C



COD.: 00439

GPO011/AC

GRIFERÍA DE PISCINA OKLAHOMA ACERO S.316

OKLAHOMA

GPO011/ANG

OKLAHOMA SERIES

OKLAHOMA SERIES

2.

- CUERPO SUPERIOR TUBULAR Ø50MM
- Ø50MM TUBULAR UPPER BODY
- CORPS SUPÉRIEUR TUBULAIRE Ø50MM
- CORPO SUPERIORE TUBOLARE Ø50MM
- CORPO SUPERIOR TUBULAR Ø50MM

1.

- ROCIADOR TUBULAR Ø50MM
- Ø50MM TUBULAR SHOWER HEAD
- DOUCHE DE TÊTE TUBULAIRE Ø50MM
- SOFFIONE TUBOLARE Ø50MM
- CHUVEIRO TUBULAR Ø50MM

3.

- CUERPO DEL GRIFO MANETA 1/4 DE VUELTA
- FAUCET BODY, 1/4 TURN HANDLE
- CORPS DU ROBINET, MANETTE 1/4 DE TOUR
- CORPO RUBINETTO MANIGLIA 1/4 DI GIRO
- CORPO DO MANÍPULO DA TORNEIRA 1/4 DE VUELTA

7.

- LATIGUILLO Ø1/2" 1300/14MM
- Ø1/2" 1300/14MM HOSE
- FLEXIBLE Ø1/2" 1300/14MM
- TUBO DI COLLEGAMENTO Ø1/2" 1300/14MM
- FLEXIVEL Ø1/2" 1300/14MM

4.

- CUERPO INFERIOR TUBULAR Ø50MM
- Ø50MM TUBULAR LOWER BODY
- CORPS INFÉRIEUR TUBULAIRE Ø50MM
- CORPO INFERIORE TUBOLARE Ø50MM
- CORPO INFERIOR TUBULAR Ø50MM

5.

- EMBELLECEDOR BASE Ø160MM
- Ø160MM BASE COVER PLATE
- ENJOLIVEUR BASE Ø160MM
- FINITURE BASE Ø160MM
- EMBELEZADOR BASE Ø160MM

6.

- BASE DE FIJACIÓN Ø152MM
- Ø152MM FIXING BASE
- BASE DE FIXATION Ø152MM
- BASE DI FISSAGGIO Ø152MM
- BASE DE FIXAÇÃO Ø152MM

FLOW RATE REF	GPO11/ANG
TOP SHOWER 0.1MPA(L/MIN)	4.9
TOP SHOWER 0.3MPA(L/MIN)	14.1
TOP SHOWER 0.5MPA(L/MIN)	19.5







PRODUCT SIZE(CM)	126.5*53.7*10.7
WEIGHT(KG)	8.5
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55°C
MIN.TEMPERATURE	0°C



COD.: 00497

GPO011/ANG

GRIFERÍA DE PISCINA OKLAHOMA ACERO S.316 NEGRO MATE



KANSAS

GPK012/AC

KANSAS SERIES

KANSAS SERIES

AC316 POOLIMEX ANTICORROSION



1.

- ROCIADOR Ø250MM – G-1/2"
- Ø250MM SHOWER HEAD – G 1/2"
- DOUCHE DE TÊTE Ø250MM – G-1/2 "
- SOFFIONE Ø250MM – G-1/2"
- CHUVEIRO Ø250MM – G-1/2"

2.

- CUERPO SUPERIOR TUBULAR Ø50MM
- Ø50MM TUBULAR UPPER BODY
- CORPS SUPÉRIEUR TUBULAIRE Ø50MM
- CORPO SUPERIORE TUBOLARE Ø50MM
- CORPO SUPERIOR TUBULAR Ø50MM

3.

- CUERPO DEL GRIFO MONOMANDO, INVERSOR / SALIDA FLEXO
- SINGLE LEVER FAUCET BODY, INVERTER / HOSE OUTLET
- CORPS DU ROBINET MONOCOMMANDE, INVERSEUR / SORTIE FLEXIBLE
- CORPO RUBINETTO MISCELATTORE, DEVIATORE/ USCITA FLESSIBILE
- CORPO DA TORNEIRA MONOCOMANDO, INVERSOR / SAÍDA PARA A BICHA FLEXIVEL

4.

- CUERPO INFERIOR TUBULAR CON SALIDA DE AGUA Ø50MM
- Ø50MM TUBULAR LOWER BODY WITH WATER OUTLET
- CORPS INFÉRIEUR TUBULAIRE AVEC SORTIE D' EAU Ø50MM
- CORPO INFERIORE TUBOLARE CON USCITA ACQUA Ø50MM
- CORPO INFERRIOR TUBULAR CO SAÍDA DE ÁGUA Ø50MM,

5.

- EMBELLECEDOR BASE Ø160MM
- Ø160MM BASE COVER PLATE
- ENJOLIVEUR BASE Ø160MM
- FINITURE BASE Ø160MM
- EMBELEZADOR BASE Ø160MM

6.

- BASE DE FIJACIÓN Ø152MM
- Ø152MM FIXING BASE
- BASE DE FIXATION Ø152MM
- BASE DI FISSAGGIO Ø152MM
- BASE DE FIXAÇÃO Ø152MM

7.

- MANGO DE DUCHA
- SHOWER HAND
- DOUCHETTE À MAIN
- DOCCINO DI DOCCIA
- CHUVEIRO DE MÃO

8.

- FLEXO 150CM
- 150CM HOSE
- FLEXIBLE 150CM
- FLESSIBILE 150CM
- FLEXIVEL 150CM

9.

- LATIGUILLO Ø1/2" 1300/12MM
- Ø1/2" 1300/12MM HOSE
- FLEXIBLE Ø1/2" 1300/12MM
- TUBO DI COLLEGAMENTO Ø1/2" 1300/12MM
- FLEXIVEL Ø1/2" 1300/12MM

FLOW RATE REF GPK012/AC

HAND SHOWER MIXER WATER 0.1MPA(L/MIN)	2.2
HAND SHOWER MIXER WATER 0.3MPA(L/MIN)	7.1
HAND SHOWER MIXER WATER 0.5MPA(L/MIN)	9.8
HAND SHOWER SINGER COLD WATER 0.1MPA(L/MIN)	1.7
HAND SHOWER SINGER COLD WATER 0.3MPA(L/MIN)	6
HAND SHOWER SINGER COLD WATER 0.5MPA(L/MIN)	8.3

SHOWER HEAD MIXER WATER 0.1MPA(L/MIN)	3.3
SHOWER HEAD MIXER WATER 0.3MPA(L/MIN)	9.4
SHOWER HEAD MIXER WATER 0.5MPA(L/MIN)	13.3
SHOWER HEAD SINGER COLD WATER 0.1MPA(L/MIN)	2.6
SHOWER HEAD SINGER COLD WATER 0.3MPA(L/MIN)	7.2
SHOWER HEAD SINGER COLD WATER 0.5MPA(L/MIN)	10.3





PRODUCT SIZE(CM)	126.5*53.7*10.7
WEIGHT(KG)	10.6
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55°C
MIN.TEMPERATURE	0°C



COD.: 00512

GPK012/AC

GRIFERÍA DE PISCINA KANSAS ACERO S.316

KANSAS
GPK012/ANG





KANSAS SERIES

AC316 POOLIMEX ANTICORROSION



2.
- CUERPO SUPERIOR TUBULAR Ø50MM
- Ø50MM TUBULAR UPPER BODY
- CORPS SUPÉRIEUR TUBULAIRE Ø50MM
- CORPO SUPERIORE TUBOLARE Ø50MM
- CORPO SUPERIOR TUBULAR Ø50MM

3.
- CUERPO DEL GRIFO MONOMANDO, INVERSOR / SALIDA FLEXO
- SINGLE LEVER FAUCET BODY, INVERTER / HOSE OUTLET
- CORPS DU ROBINET MONOCOMMANDE, INVERSEUR / SORTIE FLEXIBLE
- CORPO RUBINETTO MISCELATTORE, DEVIATORE/ USCITA FLESSIBILE
- CORPO DA TORNEIRA MONOCOMANDO, INVERSOR / SAÍDA PARA A BICHA FLEXIVEL

1.
- ROCIADOR Ø250MM – G-1/2”
- Ø250MM SHOWER HEAD – G 1/2"
- DOUCHE DE TÊTE Ø250MM – G-1/2 "
- SOFFIONE Ø250MM – G-1/2”
- CHUVEIRO Ø250MM – G-1/2”

7.
- MANGO DE DUCHA
- SHOWER HAND
- DOUCHETTE À MAIN
- DOCCINO DI DOCCIA
- CHUVEIRO DE MÃO

4.
- CUERPO INFERIOR TUBULAR CON SALIDA DE AGUA Ø50MM
- Ø50MM TUBULAR LOWER BODY WITH WATER OUTLET
- CORPS INFÉRIEUR TUBULAIRE AVEC SORTIE D’ EAU Ø50MM
- CORPO INFERIORE TUBOLARE CON USCITA ACQUA Ø50MM
- CORPO INFERRIOR TUBULAR CO SAÍDA DE ÁGUA Ø50MM,

8.
- FLEXO 150CM
- 150CM HOSE
- FLEXIBLE 150CM
- FLESSIBILE 150CM
- FLEXIVEL 150CM

5.
- EMBELLECEDOR BASE Ø160MM
- Ø160MM BASE COVER PLATE
- ENJOLIVEUR BASE Ø160MM
- FINITURE BASE Ø160MM
- EMBELEZADOR BASE Ø160MM

6.
- BASE DE FIJACIÓN Ø152MM
- Ø152MM FIXING BASE
- BASE DE FIXATION Ø152MM
- BASE DI FISSAGGIO Ø152MM
- BASE DE FIXAÇÃO Ø152MM

9.
- LATIGUILLO Ø1/2” 1300/12MM
- Ø1/2” 1300/12MM HOSE
- FLEXIBLE Ø1/2" 1300/12MM
- TUBO DI COLLEGAMENTO Ø1/2” 1300/12MM
- FLEXIVEL Ø1/2” 1300/12MM

FLOW RATE REF GPK012/AC

HAND SHOWER MIXER WATER 0.1MPA(L/MIN)	2.2
HAND SHOWER MIXER WATER 0.3MPA(L/MIN)	7.1
HAND SHOWER MIXER WATER 0.5MPA(L/MIN)	9.8
HAND SHOWER SINGER COLD WATER 0.1MPA(L/MIN)	1.7
HAND SHOWER SINGER COLD WATER 0.3MPA(L/MIN)	6
HAND SHOWER SINGER COLD WATER 0.5MPA(L/MIN)	8.3

SHOWER HEAD MIXER WATER 0.1MPA(L/MIN)	3.3
SHOWER HEAD MIXER WATER 0.3MPA(L/MIN)	9.4
SHOWER HEAD MIXER WATER 0.5MPA(L/MIN)	13.3
SHOWER HEAD SINGER COLD WATER 0.1MPA(L/MIN)	2.6
SHOWER HEAD SINGER COLD WATER 0.3MPA(L/MIN)	7.2
SHOWER HEAD SINGER COLD WATER 0.5MPA(L/MIN)	10.3







PRODUCT SIZE(CM)	126.5*53.7*10.7
WEIGHT(KG)	10.6
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55°C
MIN.TEMPERATURE	0°C



COD.: 00558

GPK012/ANG

GRIFERÍA DE PISCINA KANSAS ACERO S.316
NEGRO MATE



NIAGARA

GPN013/AC

NIAGARA SERIES

NIAGARA SERIES

AC316 POOLIMEX ANTICORROSION

1.

- ROCIADOR CASCADA RECTANGULAR 60X45 MM
- 60X45MM RECTANGULAR WATERFALL
- DOUCHE DE TÊTE CASCADE RECTANGULAIRE 60X45MM
- SOFFIONE CASCATA RETTANGOLARE 60X45MM
- CHUVEIRO CASCATA RECTANGULAR 60X45MM

2.

- MANETA 1/4 DE VUELTA
- 1/4 TURN HANDLE
- MANETTE 1/4 DE TOUR
- MANIGLIA 1/4 DI GIRO
- MANIPULO 1/4 DE VUELTA

3.

- CUERPO INFERIOR RECTANGULAR 60X45MM
- 60X45MM BASE COVER PLATE
- CORPS INFÉRIEUR RECTANGULAIRE 60X45MM
- CORPO INFERIORE RETTANGOLARE 60X45MM
- CORPO INFERIOR RECTANGULAR 60X45MM

4.

- EMBELLECEDOR BASE 160X160MM
- 160X160MM BASE COVER PLATE
- ENJOLIVEUR BASE 160X160MM
- FINITURE BASE 160X160MM
- EMBELEZADOR BASE 160X160MM

5.

- BASE DE FIJACIÓN Ø152MM
- Ø152MM FIXING BASE
- BASE DE FIXATION Ø152MM
- BASE DI FISSAGGIO Ø152MM
- BASE DE FIXAÇÃO Ø152MM

FLOW RATE REF	GPN013/AC
TOP SHOWER 0.1MPA(L/MIN)	5.3
TOP SHOWER 0.3MPA(L/MIN)	14.1
TOP SHOWER 0.5MPA(L/MIN)	19.6



PRODUCT SIZE(CM)	126.5*53.7*10.7
WEIGHT(KG)	10.7
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55°C
MIN.TEMPERATURE	0°C



COD.: 00652

GPN013/AC

GRIFERÍA DE PISCINA NIAGARA ACERO S.316

NIAGARA

GPN013/ANG

NIAGARA SERIES

NIAGARA SERIES

AC316 POOLIMEX ANTICORROSION



1.

- ROCIADOR CASCADA RECTANGULAR 60X45 MM
- 60X45MM RECTANGULAR WATERFALL
- DOUCHE DE TÊTE CASCADE RECTANGULAIRE 60X45MM
- SOFFIONE CASCATA RETTANGOLARE 60X45MM
- CHUVEIRO CASCATA RECTANGULAR 60X45MM

2.

- MANETA 1/4 DE VUELTA
- 1/4 TURN HANDLE
- MANETTE 1/4 DE TOUR
- MANIGLIA 1/4 DI GIRO
- MANIPULO 1/4 DE VUELTA

3.

- CUERPO INFERIOR RECTANGULAR 60X45MM
- 60X45MM BASE COVER PLATE
- CORPS INFÉRIEUR RECTANGULAIRE 60X45MM
- CORPO INFERIORE RETTANGOLARE 60X45MM
- CORPO INFERIOR RECTANGULAR 60X45MM

4.

- EMBELLECEDOR BASE 160X160MM
- 160X160MM BASE COVER PLATE
- ENJOLIVEUR BASE 160X160MM
- FINITURE BASE 160X160MM
- EMBELEZADOR BASE 160X160MM

5.

- BASE DE FIJACIÓN Ø152MM
- Ø152MM FIXING BASE
- BASE DE FIXATION Ø152MM
- BASE DI FISSAGGIO Ø152MM
- BASE DE FIXAÇÃO Ø152MM

FLOW RATE REF	GPN013/ANG
TOP SHOWER 0.1MPA(L/MIN)	5.3
TOP SHOWER 0.3MPA(L/MIN)	14.1
TOP SHOWER 0.5MPA(L/MIN)	19.6





PRODUCT SIZE(CM)	126.5*53.7*10.7
WEIGHT(KG)	10.7
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55°C
MIN.TEMPERATURE	0°C



COD.: 00718

GPN013/ANG

GRIFERÍA DE PISCINA NIAGARA ACERO
S.316 NEGRO MATE



NIAGARA

GPN013/AAO

NIAGARA SERIES

NIAGARA SERIES

AC316 POOLIMEX ANTICORROSION

1.

- ROCIADOR CASCADA RECTANGULAR 60X45 MM
- 60X45MM RECTANGULAR WATERFALL
- DOUCHE DE TÊTE CASCADE RECTANGULAIRE 60X45MM
- SOFFIONE CASCATA RETTANGOLARE 60X45MM
- CHUVEIRO CASCATA RECTANGULAR 60X45MM

2.

- MANETA 1/4 DE VUELTA
- 1/4 TURN HANDLE
- MANETTE 1/4 DE TOUR
- MANIGLIA 1/4 DI GIRO
- MANIPULO 1/4 DE VUELTA

3.

- CUERPO INFERIOR RECTANGULAR 60X45MM
- 60X45MM BASE COVER PLATE
- CORPS INFÉRIEUR RECTANGULAIRE 60X45MM
- CORPO INFERIORE RETTANGOLARE 60X45MM
- CORPO INFERIOR RECTANGULAR 60X45MM

4.

- EMBELLECEDOR BASE 160X160MM
- 160X160MM BASE COVER PLATE
- ENJOLIVEUR BASE 160X160MM
- FINITURE BASE 160X160MM
- EMBELEZADOR BASE 160X160MM

5.

- BASE DE FIJACIÓN Ø152MM
- Ø152MM FIXING BASE
- BASE DE FIXATION Ø152MM
- BASE DI FISSAGGIO Ø152MM
- BASE DE FIXAÇÃO Ø152MM

FLOW RATE REF	GPN013/AAO
TOP SHOWER 0.1MPA(L/MIN)	5.3
TOP SHOWER 0.3MPA(L/MIN)	14.1
TOP SHOWER 0.5MPA(L/MIN)	19.6





PRODUCT SIZE(CM)	126.5*53.7*10.7
WEIGHT(KG)	10.7
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55°C
MIN.TEMPERATURE	0°C



COD.: 00718

GPN013/AAO

GRIFERÍA DE PISCINA NIAGARA ACERO
S.316 AZUL OCÉANO



NIAGARA

GPN013/ACL

NIAGARA SERIES



1.

ROCIADOR CASCADA RECTANGULAR 60X45 MM
60X45MM RECTANGULAR WATERFALL
DOUCHE DE TÊTE CASCADE RECTANGULAIRE 60X45MM
SOFFIONE CASCATA RETTANGOLARE 60X45MM
CHUVEIRO CASCATA RECTANGULAR 60X45MM

2.

MANETA 1/4 DE VUELTA
1/4 TURN HANDLE
MANETTE 1/4 DE TOUR
MANIGLIA 1/4 DI GIRO
MANIPULO 1/4 DE VUELTA

3.

CUERPO INFERIOR RECTANGULAR 60X45MM
60X45MM BASE COVER PLATE
CORPS INFÉRIEUR RECTANGULAIRE 60X45MM
CORPO INFERIORE RETTANGOLARE 60X45MM
CORPO INFERIOR RECTANGULAR 60X45MM

4.

EMBELLECEDOR BASE 160X160MM
160X160MM BASE COVER PLATE
ENJOLIVEUR BASE 160X160MM
FINITURE BASE 160X160MM
EMBELEZADOR BASE 160X160MM

5.

BASE DE FIJACIÓN Ø152MM
Ø152MM FIXING BASE
BASE DE FIXATION Ø152MM
BASE DI FISSAGGIO Ø152MM
BASE DE FIXAÇÃO Ø152MM

FLOW RATE REF	GPN013/ACL
TOP SHOWER 0.1MPA(L/MIN)	5.3
TOP SHOWER 0.3MPA(L/MIN)	14.1
TOP SHOWER 0.5MPA(L/MIN)	19.6

PRODUCT SIZE(CM)	126.5*53.7*10.7
WEIGHT(KG)	10.7
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55°C
MIN.TEMPERATURE	0°C



COD.: 00718

GPN013/ACL

GRIFERÍA DE PISCINA NIAGARA ACERO S.316 ROSA CORAL



NIAGARA

GPN013/AMK

NIAGARA SERIES

NIAGARA SERIES

AC316 POOLIMEX ANTICORROSION

1.

- ROCIADOR CASCADA RECTANGULAR 60X45 MM
- 60X45MM RECTANGULAR WATERFALL
- DOUCHE DE TÊTE CASCADE RECTANGULAIRE 60X45MM
- SOFFIONE CASCATA RETTANGOLARE 60X45MM
- CHUVEIRO CASCATA RECTANGULAR 60X45MM

2.

- MANETA 1/4 DE VUELTA
- 1/4 TURN HANDLE
- MANETTE 1/4 DE TOUR
- MANIGLIA 1/4 DI GIRO
- MANIPULO 1/4 DE VUELTA

3.

- CUERPO INFERIOR RECTANGULAR 60X45MM
- 60X45MM BASE COVER PLATE
- CORPS INFÉRIEUR RECTANGULAIRE 60X45MM
- CORPO INFERIORE RETTANGOLARE 60X45MM
- CORPO INFERIOR RECTANGULAR 60X45MM

4.

- EMBELLECEDOR BASE 160X160MM
- 160X160MM BASE COVER PLATE
- ENJOLIVEUR BASE 160X160MM
- FINITURE BASE 160X160MM
- EMBELEZADOR BASE 160X160MM

5.

- BASE DE FIJACIÓN Ø152MM
- Ø152MM FIXING BASE
- BASE DE FIXATION Ø152MM
- BASE DI FISSAGGIO Ø152MM
- BASE DE FIXAÇÃO Ø152MM

FLOW RATE REF	GPN013/AMK
TOP SHOWER 0.1MPA(L/MIN)	5.3
TOP SHOWER 0.3MPA(L/MIN)	14.1
TOP SHOWER 0.5MPA(L/MIN)	19.6



PRODUCT SIZE(CM)	126.5*53.7*10.7
WEIGHT(KG)	10.7
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55°C
MIN.TEMPERATURE	0°C



COD.: 00718

GPN013/AMK

GRIFERÍA DE PISCINA NIAGARA ACERO S.316 MOKA

NIAGARA

GPN013/AGCB

NIAGARA SERIES

NIAGARA SERIES

AC316 POOLIMEX ANTICORROSION

1.

- ROCIADOR CASCADA RECTANGULAR 60X45 MM
- 60X45MM RECTANGULAR WATERFALL
- DOUCHE DE TÊTE CASCADE RECTANGULAIRE 60X45MM
- SOFFIONE CASCATA RETTANGOLARE 60X45MM
- CHUVEIRO CASCATA RECTANGULAR 60X45MM

2.

- MANETA 1/4 DE VUELTA
- 1/4 TURN HANDLE
- MANETTE 1/4 DE TOUR
- MANIGLIA 1/4 DI GIRO
- MANIPULO 1/4 DE VUELTA

3.

- CUERPO INFERIOR RECTANGULAR 60X45MM
- 60X45MM BASE COVER PLATE
- CORPS INFÉRIEUR RECTANGULAIRE 60X45MM
- CORPO INFERIORE RETTANGOLARE 60X45MM
- CORPO INFERIOR RECTANGULAR 60X45MM

4.

- EMBELLECEDOR BASE 160X160MM
- 160X160MM BASE COVER PLATE
- ENJOLIVEUR BASE 160X160MM
- FINITURE BASE 160X160MM
- EMBELEZADOR BASE 160X160MM

5.

- BASE DE FIJACIÓN Ø152MM
- Ø152MM FIXING BASE
- BASE DE FIXATION Ø152MM
- BASE DI FISSAGGIO Ø152MM
- BASE DE FIXAÇÃO Ø152MM

FLOW RATE REF	GPN013/AGCB
TOP SHOWER 0.1MPA(L/MIN)	5.3
TOP SHOWER 0.3MPA(L/MIN)	14.1
TOP SHOWER 0.5MPA(L/MIN)	19.6





PRODUCT SIZE(CM)	126.5*53.7*10.7
WEIGHT(KG)	10.7
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55°C
MIN.TEMPERATURE	0°C



COD.: 00718

GPN013/AGCB

GRIFERÍA DE PISCINA NIAGARA ACERO
S.316 GRIS COBALTO

ALABAMA

GPA014/AC

ALABAMA SERIES

ALABAMA SERIES

AC316 POOLIMEX ANTICORROSION

1.

ROCIADOR CUADRADO 40X40MM
40X40MM SQUARE SHOWER HEAD
DOUCHE DE TÊTE CARRÉ 40X40MM
SOFFIONE QUADRATO 40X40MM
CHUVEIRO QUADRADO 40X40MM

2.

CUERPO SUPERIOR CUADRADO 40X40MM
40X40MM SQUARE UPPER BODY
CORPS SUPÉRIEUR CARRÉ 40X40MM
CORPO SUPERIORE QUADRATO 40X40MM
CORPO SUPERIOR QUADRADO 40X40MM

3

MANETA 1/4 DE VUELTA
1/4 TURN HANDLE
MANETTE 1/4 DE TOUR
MANIGLIA 1/4 DI GIRO
MANIPULO 1/4 DE VUELTA

4.

CUERPO INFERIOR CUADRADO 40X40MM
40X40MM SQUARE LOWER BODY
CORPS INFÉRIEUR CARRÉ 40X40MM
CORPO INFERIORE QUADRATO 40X40MM
CORPO INFERIOR QUADRADO 40X40MM

5.

EMBELLECEDOR BASE 160X160MM
160X160MM BASE COVER PLATE
ENJOLIVEUR BASE 160X160MM
FINITURE BASE 160X160MM
EMBELEZADOR BASE 160X160MM

6.

BASE DE FIJACIÓN Ø152MM
Ø152MM FIXING BASE
BASE DE FIXATION Ø152MM
BASE DI FISSAGGIO Ø152MM
BASE DE FIXAÇÃO Ø152MM

FLOW RATE REF	GPA014/AC
TOP SHOWER 0.1MPA(L/MIN)	4.4
TOP SHOWER 0.3MPA(L/MIN)	12.1
TOP SHOWER 0.5MPA(L/MIN)	16.8



PRODUCT SIZE(CM)	126.5*53.7*10.7
WEIGHT(KG)	10.5
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55°C
MIN.TEMPERATURE	0°C





COD.: 00415

GPA014/AC

GRIFERÍA DE PISCINA ALABAMA ACERO S.316

ALABAMA

GPA014/ANG

ALABAMA SERIES

ALABAMA SERIES

AC316 POOLIMEX ANTICORROSION

1.

ROCIADOR CUADRADO 40X40MM
40X40MM SQUARE SHOWER HEAD
DOUCHE DE TÊTE CARRÉ 40X40MM
SOFFIONE QUADRATO 40X40MM
CHUVEIRO QUADRADO 40X40MM

2.

CUERPO SUPERIOR CUADRADO 40X40MM
40X40MM SQUARE UPPER BODY
CORPS SUPÉRIEUR CARRÉ 40X40MM
CORPO SUPERIORE QUADRATO 40X40MM
CORPO SUPERIOR QUADRADO 40X40MM

CUERPO INFERIOR CUADRADO 40X40MM
40X40MM SQUARE LOWER BODY
CORPS INFÉRIEUR CARRÉ 40X40MM
CORPO INFERIORE QUADRATO 40X40MM
CORPO INFERIOR QUADRADO 40X40MM

3

MANETA 1/4 DE VUELTA
1/4 TURN HANDLE
MANETTE 1/4 DE TOUR
MANIGLIA 1/4 DI GIRO
MANIPULO 1/4 DE VUELTA

4.

5.

EMBELLECEDOR BASE 160X160MM
160X160MM BASE COVER PLATE
ENJOLIVEUR BASE 160X160MM
FINITURE BASE 160X160MM
EMBELEZADOR BASE 160X160MM



6.

BASE DE FIJACIÓN Ø152MM
Ø152MM FIXING BASE
BASE DE FIXATION Ø152MM
BASE DI FISSAGGIO Ø152MM
BASE DE FIXAÇÃO Ø152MM

FLOW RATE REF	GPA014/ANG
TOP SHOWER 0.1MPA(L/MIN)	4.4
TOP SHOWER 0.3MPA(L/MIN)	12.1
TOP SHOWER 0.5MPA(L/MIN)	16.8



PRODUCT SIZE(CM)	126.5*53.7*10.7
WEIGHT(KG)	10.5
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55°C
MIN.TEMPERATURE	0°C





GPA014/ANG

COD.: 00464

GRIFERÍA DE PISCINA ALABAMA ACERO S.316 NEGRO MATE



SENSE

GPS016/AC





SENSE SERIES

1.

ROCIADOR LED RECTANGULAR
LED RECTANGULAR SHOWER HEAD
DOUCHE DE TÊTE LED RECTANGULAIRE
SOFFIONE LED RETTANGOLARE
CHUVEIRO LED RECTANGULAR

2.

FIJACIÓN
FIXATION
FIXATION
FISSAGIO
FIXAÇÃO

3.

MANETA
HANDLE
MANETTE
MANIGLIA
MANIPULO

5.

LATIGUILLO
HOSE
FLEXIBLE
TUBO DI COLLEGAMENTO
FLEXIVEL

4.

CUERPO GRIFO LED RECTANGULAR MANETA 1/4 DE VUELTA
RECTANGULAR LED FAUCET BODY 1/4 TURN HANDLE
CORPS DE ROBINET LED RECTANGULAIR MANETA 1/4 DE TOUR
CORPO RUBINETTO LED RETTANGOLARE MANIGLIA 1/4 DI GIRO
CORPO DA TORNEIRA RECTANGULAR COM LED 1/4 DE VUELTA

SENSE	GPS016/AC
TOP SHOWER 0.1MPA(L/MIN)	2.98
TOP SHOWER 0.3MPA(L/MIN)	7.1
TOP SHOWER 0.5MPA(L/MIN)	9.6





PRODUCT SIZE(CM)	201*21.5*19
WEIGHT(KG)	12.5
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55°C
MIN.TEMPERATURE	0°C



COD.: 00558

GPS016/AC

GRIFERÍA DE PISCINA SENSE LED LIGHT
ACERO S.316



SENSE

GPS016/ANG



SENSE SERIES

1.

- ROCIADOR LED RECTANGULAR
- LED RECTANGULAR SHOWER HEAD
- DOUCHE DE TÊTE LED RECTANGULAIRE
- SOFFIONE LED RETTANGOLARE
- CHUVEIRO LED RECTANGULAR

2.

- FIJACIÓN
- FIXATION
- FIXATION
- FISSAGIO
- FIXAÇÃO

3.

- MANETA
- HANDLE
- MANETTE
- MANIGLIA
- MANIPULO

5.

- LATIGUILLO
- HOSE
- FLEXIBLE
- TUBO DI COLLEGAMENTO
- FLEXIVEL

4.

- CUERPO GRIFO LED RECTANGULAR MANETA 1/4 DE VUELTA
- RECTANGULAR LED FAUCET BODY 1/4 TURN HANDLE
- CORPS DE ROBINET LED RECTANGULAIR MANETA 1/4 DE TOUR
- CORPO RUBINETTO LED RETTANGOLARE MANIGLIA 1/4 DI GIRO
- CORPO DA TORNEIRA RECTANGULAR COM LED 1/4 DE VUELTA

SENSE	GPS016/ANG
TOP SHOWER 0.1MPA(L/MIN)	2.98
TOP SHOWER 0.3MPA(L/MIN)	7.1
TOP SHOWER 0.5MPA(L/MIN)	9.6



PRODUCT SIZE(CM)	201*21.5*19
WEIGHT(KG)	12.5
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55°C
MIN.TEMPERATURE	0°C



COD.: 00669

GPS016/ANG

GRIFERÍA DE PISCINA SENSE LED LIGHT
ACERO S.316 NEGRO MATE

PHOENIX

GPP015/AC

PHOENIX SERIES

PHOENIX SERIES

AC316 POOLIMEX ANTICORROSION



2.
- TUBO REDONDO
- ROUND TUBE
- TUBE ROND
- TUBO ROTTONDO
- TUBO REDONDO

1.
- DEPÓSITO ALUMINIO 38,8L
- 38,8L ALUMINIUM TANK
- RÉSERVOIR ALUMINIUM 38,8L
- DEPOSITO ALLUMINIO 38,8L
- DEPOSITO ALUMINIO 38,8L

3.
- ROCIADOR CUADRADO 250X250MM
- 250X250MM SQUARE SHOWER HEAD
- DOUCHE DE TÊTE CARRÉ 250X250MM
- SOFFIONE QUADRATO 250X250MM
- CHUVEIRO QUADRADO 250X250MM

4.
- MANETA MONOMANDO
- SINGLE LEVER HANDLE
- MANETTE MONOCOMMANDE
- MANOPOLA MISCELATORE
- MANIPULO MONOCOMANDO

5.
- CUERPO GRIFO
- BODY FAUCET
- CORPS DE ROBINET
- CORPO RUBINETTO
- CORPO TORNEIRA

FLOW RATE REF	GPP015/AC
TOP SHOWER 0.1MPA(L/MIN)	4.4
TOP SHOWER 0.3MPA(L/MIN)	12.1
TOP SHOWER 0.5MPA(L/MIN)	16.8

PRODUCT SIZE(CM)	230*36*31.5
WEIGHT(KG)	18
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55°C
MIN.TEMPERATURE	0°C



IMPORTANT:
PLEASE EMPTY WATER TANK BEFORE LONG TIME LEAVE UNUSED,IN ORDER TO PREVENT BACTARIA,FUNGUS,ETC

COD.: 01025

GPP015/AAO

GRIFERÍA DE PISCINA PHOENIX ACERO S.316 AZUL OCEANO

PHOENIX

GPP015/AAO

PHOENIX SERIES

PHOENIX SERIES

AC316 POOLIMEX ANTICORROSION



1.

- DEPÓSITO ALUMINIO 38,8L
- 38,8L ALUMINIUM TANK
- RÉSERVOIR ALUMINIUM 38,8L
- DEPOSITO ALLUMINIO 38,8L
- DEPOSITO ALUMINIO 38,8L

2.

- TUBO REDONDO
- ROUND TUBE
- TUBE ROND
- TUBO ROTTONDO
- TUBO REDONDO

3.

- ROCIADOR CUADRADO 250X250MM
- 250X250MM SQUARE SHOWER HEAD
- DOUCHE DE TÊTE CARRÉ 250X250MM
- SOFFIONE QUADRATO 250X250MM
- CHUVEIRO QUADRADO 250X250MM

4.

- MANETA MONOMANDO
- SINGLE LEVER HANDLE
- MANETTE MONOCOMMANDE
- MANOPOLA MISCELATORE
- MANIPULO MONOCOMANDO

5.

- CUERPO GRIFO
- BODY FAUCET
- CORPS DE ROBINET
- CORPO RUBINETTO
- CORPO TORNEIRA

FLOW RATE REF	GPP015/AAO
TOP SHOWER 0.1MPA(L/MIN)	4.4
TOP SHOWER 0.3MPA(L/MIN)	12.1
TOP SHOWER 0.5MPA(L/MIN)	16.8





PRODUCT SIZE(CM)	230*36*31.5
WEIGHT(KG)	18
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55°C
MIN.TEMPERATURE	0°C

IMPORTANT:
PLEASE EMPTY WATER TANK BEFORE LONG TIME LEAVE UNUSED,IN ORDER TO PREVENT BACTARIA,FUNGUS,ETC

COD.: 00902

GPP015/AAO

GRIFERÍA DE PISCINA PHOENIX ACERO S.316 AZUL OCEANO

PHOENIX

GPP015/ACL



PHOENIX SERIES

AC316 POOLIMEX ANTICORROSION



2.
- TUBO REDONDO
- ROUND TUBE
- TUBE ROND
- TUBO ROTTONDO
- TUBO REDONDO

1.
- DEPÓSITO ALUMINIO 38,8L
- 38,8L ALUMINIUM TANK
- RÉSERVOIR ALUMINIUM 38,8L
- DEPOSITO ALLUMINIO 38,8L
- DEPOSITO ALUMINIO 38,8L

3.
- ROCIADOR CUADRADO 250X250MM
- 250X250MM SQUARE SHOWER HEAD
- DOUCHE DE TÊTE CARRÉ 250X250MM
- SOFFIONE QUADRATO 250X250MM
- CHUVEIRO QUADRADO 250X250MM

4.
- MANETA MONOMANDO
- SINGLE LEVER HANDLE
- MANETTE MONOCOMMANDE
- MANOPOLA MISCELATORE
- MANIPULO MONOCOMANDO

5.
- CUERPO GRIFO
- BODY FAUCET
- CORPS DE ROBINET
- CORPO RUBINETTO
- CORPO TORNEIRA

FLOW RATE REF	GPP015/ACL
TOP SHOWER 0.1MPA(L/MIN)	4.4
TOP SHOWER 0.3MPA(L/MIN)	12.1
TOP SHOWER 0.5MPA(L/MIN)	16.8



PRODUCT SIZE(CM)	230*36*31.5
WEIGHT(KG)	18
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55°C
MIN.TEMPERATURE	0°C



IMPORTANT:
PLEASE EMPTY WATER TANK BEFORE LONG TIME LEAVE UNUSED,IN ORDER TO PREVENT BACTARIA,FUNGUS,ETC

COD.: 00902

GPP015/ACL

GRIFERÍA DE PISCINA PHOENIX ACERO S.316 ROSA CORAL

PHOENIX
GPP015/AMK

PHOENIX SERIES

PHOENIX SERIES

AC316 POOLIMEX ANTICORROSION



2.
- TUBO REDONDO
- ROUND TUBE
- TUBE ROND
- TUBO ROTTONDO
- TUBO REDONDO

1.
- DEPÓSITO ALUMINIO 38,8L
- 38,8L ALUMINIUM TANK
- RÉSERVOIR ALUMINIUM 38,8L
- DEPOSITO ALLUMINIO 38,8L
- DEPOSITO ALUMINIO 38,8L

3.
- ROCIADOR CUADRADO 250X250MM
- 250X250MM SQUARE SHOWER HEAD
- DOUCHE DE TÊTE CARRÉ 250X250MM
- SOFFIONE QUADRATO 250X250MM
- CHUVEIRO QUADRADO 250X250MM

4.
- MANETA MONOMANDO
- SINGLE LEVER HANDLE
- MANETTE MONOCOMMANDE
- MANOPOLA MISCELATORE
- MANIPULO MONOCOMANDO

5.
- CUERPO GRIFO
- BODY FAUCET
- CORPS DE ROBINET
- CORPO RUBINETTO
- CORPO TORNEIRA

FLOW RATE REF	GPP015/AMK
TOP SHOWER 0.1MPA(L/MIN)	4.4
TOP SHOWER 0.3MPA(L/MIN)	12.1
TOP SHOWER 0.5MPA(L/MIN)	16.8





PRODUCT SIZE(CM)	230*36*31.5
WEIGHT(KG)	18
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55°C
MIN.TEMPERATURE	0°C

IMPORTANT:
PLEASE EMPTY WATER TANK BEFORE LONG TIME LEAVE UNUSED,IN ORDER TO PREVENT BACTARIA,FUNGUS,ETC

COD.: 00902

GPP015/AMK

GRIFERÍA DE PISCINA PHOENIX ACERO S.316 MOKA

PHOENIX

GPP015/AGCB

PHOENIX SERIES



PHOENIX SERIES

AC316 POOLIMEX ANTICORROSION



2.
- TUBO REDONDO
- ROUND TUBE
- TUBE ROND
- TUBO ROTTONDO
- TUBO REDONDO

1.
- DEPÓSITO ALUMINIO 38,8L
- 38,8L ALUMINIUM TANK
- RÉSERVOIR ALUMINIUM 38,8L
- DEPOSITO ALLUMINIO 38,8L
- DEPOSITO ALUMINIO 38,8L

3.
- ROCIADOR CUADRADO 250X250MM
- 250X250MM SQUARE SHOWER HEAD
- DOUCHE DE TÊTE CARRÉ 250X250MM
- SOFFIONE QUADRATO 250X250MM
- CHUVEIRO QUADRADO 250X250MM

4.
- MANETA MONOMANDO
- SINGLE LEVER HANDLE
- MANETTE MONOCOMMANDE
- MANOPOLA MISCELATORE
- MANIPULO MONOCOMANDO

5.
- CUERPO GRIFO
- BODY FAUCET
- CORPS DE ROBINET
- CORPO RUBINETTO
- CORPO TORNEIRA

FLOW RATE REF	GPP015/AGCB
TOP SHOWER 0.1MPA(L/MIN)	4.4
TOP SHOWER 0.3MPA(L/MIN)	12.1
TOP SHOWER 0.5MPA(L/MIN)	16.8



PRODUCT SIZE(CM)	230*36*31.5
WEIGHT(KG)	18
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55°C
MIN.TEMPERATURE	0°C



IMPORTANT:
PLEASE EMPTY WATER TANK BEFORE LONG TIME LEAVE UNUSED,IN ORDER TO PREVENT BACTARIA,FUNGUS,ETC

COD.: 00902

GPP015/AGCB

GRIFERÍA DE PISCINA PHOENIX ACERO S.316 GRIS COBALTO



NIAGARA

CPN001/AC



NIAGARA SERIES

NIAGARA SERIES

AC316 POOLIMEX ANTICORROSION



1.

CUERPO DE CASCADA 60X55MM
60X55MM WATERFALL BODY
CORPS DE CASCADE 60X55MM
CORPO CASCATA 60X55MM
CORPO DA CASCATA 60X55MM

2.

EMBELLECEDOR RECTANGULAR 120X120MM
120X120MM RECTANGULAR COVER PLATE
ENJOLIVEUR RECTANGULAIRE 120X120MM
FINITURA RETTANGOLARE 120X120MM
EMBELEZADOR RECTANGULAR 120X120MM

3.

BASE FIJACIÓN RECTANGULAR 120X120MM
120X120MM RECTANGULAR FIXATION BASE
BASE DE FIXATION RECTANGULAIRE 120X120MM
BASE DI FISSAGIO RETTANGOLARE 120X120MM
BASE DE FIXAÇÃO RECTANGULAR 120X120MM

4.

CONECTOR DE AGUA 1 1/2"
1 1/2" WATER CONNECTION
CONNECTEUR D'EAU 1 1/2"
CONNETTORE D'ACQUA 1 1/2"
CONECTOR DE ÁGUA 1 1/2"

- GOMA DE PROTECCIÓN INCLUIDA - INSTALACIÓN OPCIONAL
- RUBBER PROTECTION INCLUDED - OPTIONAL INSTALLATION
- GOMME DE PROTECTION INCLUSE - INSTALLATION OPTIONNELLE
- GUARNIZIONIDI PROTEZIONE INCLUSA - INSTALLAZIONE OPZIONALE
- BORRACHA DE PROTECCÃO INCLUÍDA - INSTALAÇÃO OPCIONAL

PRODUCT SIZE(CM)	72.5*32.5*9
WEIGHT(KG)	3.7
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55ºC
MIN.TEMPERATURE	0ºC



COD.: 00308

CPN001/AC

CASCADA DE PISCINA 6CM NIAGARA
ACERO S.316



NIAGARA

CPN001/ANG



NIAGARA SERIES



NIAGARA SERIES

AC316 POOLIMEX ANTICORROSION

1.

CUERPO DE CASCADA 60X55MM
60X55MM WATERFALL BODY
CORPS DE CASCADE 60X55MM
CORPO CASCATA 60X55MM
CORPO DA CASCATA 60X55MM

2.

EMBELLECEDOR RECTANGULAR 120X120MM
120X120MM RECTANGULAR COVER PLATE
ENJOLIVEUR RECTANGULAIRE 120X120MM
FINITURA RETTANGOLARE 120X120MM
EMBELEZADOR RECTANGULAR 120X120MM

3.

BASE FIJACIÓN RECTANGULAR 120X120MM
120X120MM RECTANGULAR FIXATION BASE
BASE DE FIXATION RECTANGULAIRE 120X120MM
BASE DI FISSAGIO RETTANGOLARE 120X120MM
BASE DE FIXAÇÃO RECTANGULAR 120X120MM

4.

CONECTOR DE AGUA 1 1/2"
1 1/2" WATER CONNECTION
CONNECTEUR D'EAU 1 1/2"
CONNETTORE D'ACQUA 1 1/2"
CONECTOR DE ÁGUA 1 1/2"





- GOMA DE PROTECCIÓN INCLUIDA - INSTALACIÓN OPCIONAL
- RUBBER PROTECTION INCLUDED - OPTIONAL INSTALLATION
- GOMME DE PROTECTION INCLUSE - INSTALLATION OPTIONNELLE
- GUARNIZIONIDI PROTEZIONE INCLUSA - INSTALLAZIONE OPZIONALE
- BORRACHA DE PROTECCÃO INCLUÍDA - INSTALAÇÃO OPCIONAL

PRODUCT SIZE(CM)	72.5*32.5*9
WEIGHT(KG)	3.7
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55ºC
MIN.TEMPERATURE	0ºC



CPN001/ANG

COD.: 00328

CASCADA DE PISCINA 6CM NIAGARA
ACERO S.316 NEGRO MATE

NIAGARA

CPN001/AAO



NIAGARA SERIES



NIAGARA SERIES

AC316 POOLIMEX ANTICORROSION



1.

CUERPO DE CASCADA 60X55MM
60X55MM WATERFALL BODY
CORPS DE CASCADE 60X55MM
CORPO CASCATA 60X55MM
CORPO DA CASCATA 60X55MM

2.

EMBELLECEDOR RECTANGULAR 120X120MM
120X120MM RECTANGULAR COVER PLATE
ENJOLIVEUR RECTANGULAIRE 120X120MM
FINITURA RETTANGOLARE 120X120MM
EMBELEZADOR RECTANGULAR 120X120MM

3.

BASE FIJACIÓN RECTANGULAR 120X120MM
120X120MM RECTANGULAR FIXATION BASE
BASE DE FIXATION RECTANGULAIRE 120X120MM
BASE DI FISSAGIO RETTANGOLARE 120X120MM
BASE DE FIXAÇÃO RECTANGULAR 120X120MM

4.

CONECTOR DE AGUA 1 1/2"
1 1/2" WATER CONNECTION
CONNECTEUR D'EAU 1 1/2"
CONNETTORE D'ACQUA 1 1/2"
CONECTOR DE ÁGUA 1 1/2"



- GOMA DE PROTECCIÓN INCLUIDA - INSTALACIÓN OPCIONAL
- RUBBER PROTECTION INCLUDED - OPTIONAL INSTALLATION
- GOMME DE PROTECTION INCLUSE - INSTALLATION OPTIONNELLE
- GUARNIZIONIDI PROTEZIONE INCLUSA - INSTALLAZIONE OPZIONALE
- BORRACHA DE PROTECCÃO INCLUÍDA - INSTALAÇÃO OPCIONAL

PRODUCT SIZE(CM)	72.5*32.5*9
WEIGHT(KG)	3.7
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55ºC
MIN.TEMPERATURE	0ºC





COD.: 00328

CPN001/AAO

CASCADA DE PISCINA 6CM NIAGARA
ACERO S.316 AZUL OCÉANO

NIAGARA

CPN001/ACL

NIAGARA SERIES

AC316 POOLIMEX ANTICORROSION



1.

CUERPO DE CASCADA 60X55MM
60X55MM WATERFALL BODY
CORPS DE CASCADE 60X55MM
CORPO CASCATA 60X55MM
CORPO DA CASCATA 60X55MM

2.

EMBELLECEDOR RECTANGULAR 120X120MM
120X120MM RECTANGULAR COVER PLATE
ENJOLIVEUR RECTANGULAIRE 120X120MM
FINITURA RETTANGOLARE 120X120MM
EMBELEZADOR RECTANGULAR 120X120MM

3.

BASE FIJACIÓN RECTANGULAR 120X120MM
120X120MM RECTANGULAR FIXATION BASE
BASE DE FIXATION RECTANGULAIRE 120X120MM
BASE DI FISSAGIO RETTANGOLARE 120X120MM
BASE DE FIXAÇÃO RECTANGULAR 120X120MM

4.

CONECTOR DE AGUA 1 1/2"
1 1/2" WATER CONNECTION
CONNECTEUR D'EAU 1 1/2"
CONNETTORE D'ACQUA 1 1/2"
CONECTOR DE ÁGUA 1 1/2"

- GOMA DE PROTECCIÓN INCLUIDA - INSTALACIÓN OPCIONAL
- RUBBER PROTECTION INCLUDED - OPTIONAL INSTALLATION
- GOMME DE PROTECTION INCLUSE - INSTALLATION OPTIONNELLE
- GUARNIZIONIDI PROTEZIONE INCLUSA - INSTALLAZIONE OPZIONALE
- BORRACHA DE PROTECCÃO INCLUÍDA - INSTALAÇÃO OPCIONAL

PRODUCT SIZE(CM)	72.5*32.5*9
WEIGHT(KG)	3.7
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55ºC
MIN.TEMPERATURE	0ºC





COD.: 00328

CPN001/ACL

CASCADA DE PISCINA 6CM NIAGARA
ACERO S.316 ROSA CORAL



NIAGARA

CPN001/AMK

NIAGARA SERIES



NIAGARA SERIES

AC316 POOLIMEX ANTICORROSION

1.

CUERPO DE CASCADA 60X55MM
60X55MM WATERFALL BODY
CORPS DE CASCADE 60X55MM
CORPO CASCATA 60X55MM
CORPO DA CASCATA 60X55MM

2.

EMBELLECEDOR RECTANGULAR 120X120MM
120X120MM RECTANGULAR COVER PLATE
ENJOLIVEUR RECTANGULAIRE 120X120MM
FINITURA RETTANGOLARE 120X120MM
EMBELEZADOR RECTANGULAR 120X120MM

3.

BASE FIJACIÓN RECTANGULAR 120X120MM
120X120MM RECTANGULAR FIXATION BASE
BASE DE FIXATION RECTANGULAIRE 120X120MM
BASE DI FISSAGIO RETTANGOLARE 120X120MM
BASE DE FIXAÇÃO RECTANGULAR 120X120MM

4.

CONECTOR DE AGUA 1 1/2"
1 1/2" WATER CONNECTION
CONNECTEUR D'EAU 1 1/2"
CONNETTORE D'ACQUA 1 1/2"
CONECTOR DE ÁGUA 1 1/2"

- GOMA DE PROTECCIÓN INCLUIDA - INSTALACIÓN OPCIONAL
- RUBBER PROTECTION INCLUDED - OPTIONAL INSTALLATION
- GOMME DE PROTECTION INCLUSE - INSTALLATION OPTIONNELLE
- GUARNIZIONIDI PROTEZIONE INCLUSA - INSTALLAZIONE OPZIONALE
- BORRACHA DE PROTECCÃO INCLUÍDA - INSTALAÇÃO OPCIONAL

PRODUCT SIZE(CM)	72.5*32.5*9
WEIGHT(KG)	3.7
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55ºC
MIN.TEMPERATURE	0ºC



COD.: 00328

CPN001/AMK

CASCADA DE PISCINA 6CM NIAGARA
ACERO S.316 MOKA

NIAGARA

CPN001/AGCB

NIAGARA SERIES

NIAGARA SERIES

AC316 POOLIMEX ANTICORROSION



1.

CUERPO DE CASCADA 60X55MM
60X55MM WATERFALL BODY
CORPS DE CASCADE 60X55MM
CORPO CASCATA 60X55MM
CORPO DA CASCATA 60X55MM

2.

EMBELLECEDOR RECTANGULAR 120X120MM
120X120MM RECTANGULAR COVER PLATE
ENJOLIVEUR RECTANGULAIRE 120X120MM
FINITURA RETTANGOLARE 120X120MM
EMBELEZADOR RECTANGULAR 120X120MM

3.

BASE FIJACIÓN RECTANGULAR 120X120MM
120X120MM RECTANGULAR FIXATION BASE
BASE DE FIXATION RECTANGULAIRE 120X120MM
BASE DI FISSAGIO RETTANGOLARE 120X120MM
BASE DE FIXAÇÃO RECTANGULAR 120X120MM

4.

CONECTOR DE AGUA 1 1/2"
1 1/2" WATER CONNECTION
CONNECTEUR D'EAU 1 1/2"
CONNETTORE D'ACQUA 1 1/2"
CONECTOR DE ÁGUA 1 1/2"

- GOMA DE PROTECCIÓN INCLUIDA - INSTALACIÓN OPCIONAL
- RUBBER PROTECTION INCLUDED - OPTIONAL INSTALLATION
- GOMME DE PROTECTION INCLUSE - INSTALLATION OPTIONNELLE
- GUARNIZIONIDI PROTEZIONE INCLUSA - INSTALLAZIONE OPZIONALE
- BORRACHA DE PROTECCÃO INCLUÍDA - INSTALAÇÃO OPCIONAL

PRODUCT SIZE(CM)	72.5*32.5*9
WEIGHT(KG)	3.7
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55ºC
MIN.TEMPERATURE	0ºC





COD.: 00328

CPN001/AGCB

CASCADA DE PISCINA 6CM NIAGARA
ACERO S.316 GRIS COBALTO



NIAGARA
CPN002/AC

NIAGARA SERIES



NIAGARA SERIES

AC316 POOLIMEX ANTICORROSION



1.

CUERPO DE CASCADA 150X55MM
150X55MM WATERFALL BODY
CORPS DE CASCADE 150X55MM
CORPO CASCATA 150X55MM
CORPO DA CASCATA 150X55MM

2.

EMBELLECEDOR RECTANGULAR 180X120MM
180X120MM RECTANGULAR COVER PLATE
ENJOLIVEUR RECTANGULAIRE 180X120MM
FINITURA RETTANGOLARE 180X120MM
EMBELEZADOR RECTANGULAR 180X120MM

3.

BASE FIJACIÓN RECTANGULAR 150X115MM
150X115MM RECTANGULAR FIXATION BASE
BASE DE FIXATION RECTANGULAIRE 150X115MM
BASE DI FISSAGIO RETTANGOLARE 150X115MM
BASE DE FIXAÇÃO RECTANGULAR 150X115MM

4.

CONECTOR DE AGUA 1 1/2"
1 1/2" WATER CONNECTION
CONNECTEUR D'EAU 1 1/2"
CONNETTORE D'ACQUA 1 1/2"
CONECTOR DE ÁGUA 1 1/2"

- GOMA DE PROTECCIÓN INCLUIDA - INSTALACIÓN OPCIONAL
- RUBBER PROTECTION INCLUDED - OPTIONAL INSTALLATION
- GOMME DE PROTECTION INCLUSE - INSTALLATION OPTIONNELLE
- GUARNIZIONIDI PROTEZIONE INCLUSA - INSTALLAZIONE OPZIONALE
- BORRACHA DE PROTECCÃO INCLUÍDA - INSTALAÇÃO OPCIONAL

PRODUCT SIZE(CM)	72.5*32.5*18
WEIGHT(KG)	6.2
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55ºC
MIN.TEMPERATURE	0ºC



COD.: 00484

CPN002/AC

CASCADA DE PISCINA 15CM NIAGARA
ACERO S.316 NEGRO MATE

NIAGARA
CPN002/AC

NIAGARA SERIES

NIAGARA SERIES

AC316 POOLIMEX ANTICORROSION



1.

CUERPO DE CASCADA 150X55MM
150X55MM WATERFALL BODY
CORPS DE CASCADE 150X55MM
CORPO CASCATA 150X55MM
CORPO DA CASCATA 150X55MM

2.

EMBELLECEDOR RECTANGULAR 180X120MM
180X120MM RECTANGULAR COVER PLATE
ENJOLIVEUR RECTANGULAIRE 180X120MM
FINITURA RETTANGOLARE 180X120MM
EMBELEZADOR RECTANGULAR 180X120MM

3.

BASE FIJACIÓN RECTANGULAR 150X115MM
150X115MM RECTANGULAR FIXATION BASE
BASE DE FIXATION RECTANGULAIRE 150X115MM
BASE DI FISSAGIO RETTANGOLARE 150X115MM
BASE DE FIXAÇÃO RECTANGULAR 150X115MM

4.

CONECTOR DE AGUA 1 1/2"
1 1/2" WATER CONNECTION
CONNECTEUR D'EAU 1 1/2"
CONNETTORE D'ACQUA 1 1/2"
CONECTOR DE ÁGUA 1 1/2"



- GOMA DE PROTECCIÓN INCLUIDA - INSTALACIÓN OPCIONAL
- RUBBER PROTECTION INCLUDED - OPTIONAL INSTALLATION
- GOMME DE PROTECTION INCLUSE - INSTALLATION OPTIONNELLE
- GUARNIZIONIDI PROTEZIONE INCLUSA - INSTALLAZIONE OPZIONALE
- BORRACHA DE PROTECCÃO INCLUÍDA - INSTALAÇÃO OPCIONAL

PRODUCT SIZE(CM)	72.5*32.5*18
WEIGHT(KG)	6.2
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55ºC
MIN.TEMPERATURE	0ºC





COD.: 00550

CPN002/ANG

CASCADA DE PISCINA 15CM NIAGARA
ACERO S.316 NEGRO MATE

NIAGARA

CPN002/AAO

NIAGARA SERIES

NIAGARA SERIES



1.

CUERPO DE CASCADA 150X55MM
150X55MM WATERFALL BODY
CORPS DE CASCADE 150X55MM
CORPO CASCATA 150X55MM
CORPO DA CASCATA 150X55MM

2.

EMBELLECEDOR RECTANGULAR 180X120MM
180X120MM RECTANGULAR COVER PLATE
ENJOLIVEUR RECTANGULAIRE 180X120MM
FINITURA RETTANGOLARE 180X120MM
EMBELEZADOR RECTANGULAR 180X120MM

3.

BASE FIJACIÓN RECTANGULAR 150X115MM
150X115MM RECTANGULAR FIXATION BASE
BASE DE FIXATION RECTANGULAIRE 150X115MM
BASE DI FISSAGIO RETTANGOLARE 150X115MM
BASE DE FIXAÇÃO RECTANGULAR 150X115MM

4.

CONECTOR DE AGUA 1 1/2"
1 1/2" WATER CONNECTION
CONNECTEUR D'EAU 1 1/2"
CONNETTORE D'ACQUA 1 1/2"
CONECTOR DE ÁGUA 1 1/2"



- GOMA DE PROTECCIÓN INCLUIDA - INSTALACIÓN OPCIONAL
- RUBBER PROTECTION INCLUDED - OPTIONAL INSTALLATION
- GOMME DE PROTECTION INCLUSE - INSTALLATION OPTIONNELLE
- GUARNIZIONIDI PROTEZIONE INCLUSA - INSTALLAZIONE OPZIONALE
- BORRACHA DE PROTECCÃO INCLUÍDA - INSTALAÇÃO OPCIONAL

PRODUCT SIZE(CM)	72.5*32.5*18
WEIGHT(KG)	6.2
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55ºC
MIN.TEMPERATURE	0ºC



COD.: 00550

CPN002/AAO

CASCADA DE PISCINA 15CM NIAGARA
ACERO S.316 AZUL OCÉANO



NIAGARA

CPN002/ACL



NIAGARA SERIES



1.

CUERPO DE CASCADA 150X55MM
150X55MM WATERFALL BODY
CORPS DE CASCADE 150X55MM
CORPO CASCATA 150X55MM
CORPO DA CASCATA 150X55MM

2.

EMBELLECEDOR RECTANGULAR 180X120MM
180X120MM RECTANGULAR COVER PLATE
ENJOLIVEUR RECTANGULAIRE 180X120MM
FINITURA RETTANGOLARE 180X120MM
EMBELEZADOR RECTANGULAR 180X120MM

3.

BASE FIJACIÓN RECTANGULAR 150X115MM
150X115MM RECTANGULAR FIXATION BASE
BASE DE FIXATION RECTANGULAIRE 150X115MM
BASE DI FISSAGIO RETTANGOLARE 150X115MM
BASE DE FIXAÇÃO RECTANGULAR 150X115MM

4.

CONECTOR DE AGUA 1 1/2"
1 1/2" WATER CONNECTION
CONNECTEUR D'EAU 1 1/2"
CONNETTORE D'ACQUA 1 1/2"
CONECTOR DE ÁGUA 1 1/2"



- GOMA DE PROTECCIÓN INCLUIDA - INSTALACIÓN OPCIONAL
- RUBBER PROTECTION INCLUDED - OPTIONAL INSTALLATION
- GOMME DE PROTECTION INCLUSE - INSTALLATION OPTIONNELLE
- GUARNIZIONIDI PROTEZIONE INCLUSA - INSTALLAZIONE OPZIONALE
- BORRACHA DE PROTECCÃO INCLUÍDA - INSTALAÇÃO OPCIONAL

PRODUCT SIZE(CM)	72.5*32.5*18
WEIGHT(KG)	6.2
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55ºC
MIN.TEMPERATURE	0ºC



COD.: 00550

CPN002/ACL

CASCADA DE PISCINA 15CM NIAGARA
ACERO S.316 ROSA CORAL

NIAGARA

CPN002/AMK



NIAGARA SERIES



1.

CUERPO DE CASCADA 150X55MM
150X55MM WATERFALL BODY
CORPS DE CASCADE 150X55MM
CORPO CASCATA 150X55MM
CORPO DA CASCATA 150X55MM

2.

EMBELLECEDOR RECTANGULAR 180X120MM
180X120MM RECTANGULAR COVER PLATE
ENJOLIVEUR RECTANGULAIRE 180X120MM
FINITURA RETTANGOLARE 180X120MM
EMBELEZADOR RECTANGULAR 180X120MM

3.

BASE FIJACIÓN RECTANGULAR 150X115MM
150X115MM RECTANGULAR FIXATION BASE
BASE DE FIXATION RECTANGULAIRE 150X115MM
BASE DI FISSAGIO RETTANGOLARE 150X115MM
BASE DE FIXAÇÃO RECTANGULAR 150X115MM

4.

CONECTOR DE AGUA 1 1/2"
1 1/2" WATER CONNECTION
CONNECTEUR D'EAU 1 1/2"
CONNETTORE D'ACQUA 1 1/2"
CONECTOR DE ÁGUA 1 1/2"



- GOMA DE PROTECCIÓN INCLUIDA - INSTALACIÓN OPCIONAL
- RUBBER PROTECTION INCLUDED - OPTIONAL INSTALLATION
- GOMME DE PROTECTION INCLUSE - INSTALLATION OPTIONNELLE
- GUARNIZIONIDI PROTEZIONE INCLUSA - INSTALLAZIONE OPZIONALE
- BORRACHA DE PROTECCÃO INCLUÍDA - INSTALAÇÃO OPCIONAL

PRODUCT SIZE(CM)	72.5*32.5*18
WEIGHT(KG)	6.2
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55ºC
MIN.TEMPERATURE	0ºC



COD.: 00550

CPN002/AMK

CASCADA DE PISCINA 15CM NIAGARA
ACERO S.316 MOKA

NIAGARA

CPN002/AGCB

NIAGARA SERIES



NIAGARA SERIES

AC316 POOLIMEX ANTICORROSION



1.

CUERPO DE CASCADA 150X55MM
150X55MM WATERFALL BODY
CORPS DE CASCADE 150X55MM
CORPO CASCATA 150X55MM
CORPO DA CASCATA 150X55MM

2.

EMBELLECEDOR RECTANGULAR 180X120MM
180X120MM RECTANGULAR COVER PLATE
ENJOLIVEUR RECTANGULAIRE 180X120MM
FINITURA RETTANGOLARE 180X120MM
EMBELEZADOR RECTANGULAR 180X120MM

3.

BASE FIJACIÓN RECTANGULAR 150X115MM
150X115MM RECTANGULAR FIXATION BASE
BASE DE FIXATION RECTANGULAIRE 150X115MM
BASE DI FISSAGIO RETTANGOLARE 150X115MM
BASE DE FIXAÇÃO RECTANGULAR 150X115MM

4.

CONECTOR DE AGUA 1 1/2"
1 1/2" WATER CONNECTION
CONNECTEUR D'EAU 1 1/2"
CONNETTORE D'ACQUA 1 1/2"
CONECTOR DE ÁGUA 1 1/2"

- GOMA DE PROTECCIÓN INCLUIDA - INSTALACIÓN OPCIONAL
- RUBBER PROTECTION INCLUDED - OPTIONAL INSTALLATION
- GOMME DE PROTECTION INCLUSE - INSTALLATION OPTIONNELLE
- GUARNIZIONIDI PROTEZIONE INCLUSA - INSTALLAZIONE OPZIONALE
- BORRACHA DE PROTECCÃO INCLUÍDA - INSTALAÇÃO OPCIONAL

PRODUCT SIZE(CM)	72.5*32.5*18
WEIGHT(KG)	6.2
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55ºC
MIN.TEMPERATURE	0ºC



COD.: 00550

CPN002/AGCB

CASCADA DE PISCINA 15CM NIAGARA
ACERO S.316 GRIS COBALTO

IGUAZU

CPI003/AC



IGUAZU SERIES

AC316 POOLIMEX ANTICORROSION

CUERPO DE CASCADA 200X110MM
200X110MM WATERFALL BODY
CORPS DE CASCADE 200X110MM
CORPO CASCATA 200X110MM
CORPO DA CASCATA 200X110MM

1.

2.

EMBELLECEDOR RECTANGULAR 230X200MM
230X200MM RECTANGULAR COVER PLATE
ENJOLIVEUR RECTANGULAIRE 230X200MM
FINITURA RETTANGOLARE 230X200MM
EMBELEZADOR RECTANGULAR 230X200MM



3.

BASE FIJACIÓN RECTANGULAR 230X200MM
230X200MM RECTANGULAR FIXATION BASE
BASE DE FIXATION RECTANGULAIRE 230X200MM
BASE DI FISSAGIO RETTANGOLARE 230X200MM
BASE DE FIXAÇÃO RECTANGULAR 230X200MM

4.

CONECTOR DE AGUA 1 1/2"
1 1/2" WATER CONNECTION
CONNECTEUR D'EAU 1 1/2
CONNETTORE D'ACQUA 1 1/2"
CONECTOR DE ÁGUA 1 1/2"

- GOMA DE PROTECCIÓN INCLUIDA - INSTALACIÓN OPCIONAL
- RUBBER PROTECTION INCLUDED - OPTIONAL INSTALLATION
- GOMME DE PROTECTION INCLUSE - INSTALLATION OPTIONNELLE
- GUARNIZIONIDI PROTEZIONE INCLUSA - INSTALLAZIONE OPZIONALE
- BORRACHA DE PROTECCÃO INCLUÍDA - INSTALAÇÃO OPCIONAL

PRODUCT SIZE(CM)	72*45*23
WEIGHT(KG)	10
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55ºC
MIN.TEMPERATURE	0ºC



COD.: 00492

CPI003/AC

CASCADA DE PISCINA 20CM IGUAZU
ACERO S.316

IGUAZU
CPI003/AC

IGUAZU SERIES

IGUAZU SERIES

AC316 POOLIMEX ANTICORROSION

1.

CUERPO DE CASCADA 200X110MM
200X110MM WATERFALL BODY
CORPS DE CASCADE 200X110MM
CORPO CASCATA 200X110MM
CORPO DA CASCATA 200X110MM



2.

EMBELLECEDOR RECTANGULAR 230X200MM
230X200MM RECTANGULAR COVER PLATE
ENJOLIVEUR RECTANGULAIRE 230X200MM
FINITURA RETTANGOLARE 230X200MM
EMBELEZADOR RECTANGULAR 230X200MM

3.

BASE FIJACIÓN RECTANGULAR 230X200MM
230X200MM RECTANGULAR FIXATION
BASE DE FIXATION RECTANGULAIRE 230X200MM
BASE DI FISSAGIO RETTANGOLARE 230X200MM
BASE DE FIXAÇÃO RECTANGULAR 230X200MM

4.

CONECTOR DE AGUA 1 1/2"
1 1/2" WATER CONNECTION
CONNECTEUR D'EAU 1 1/2
CONNETTORE D'ACQUA 1 1/2"
CONECTOR DE ÁGUA 1 1/2"



- GOMA DE PROTECCIÓN INCLUIDA - INSTALACIÓN OPCIONAL
- RUBBER PROTECTION INCLUDED - OPTIONAL INSTALLATION
- GOMME DE PROTECTION INCLUSE - INSTALLATION OPTIONNELLE
- GUARNIZIONIDI PROTEZIONE INCLUSA - INSTALLAZIONE OPZIONALE
- BORRACHA DE PROTECCÃO INCLUÍDA - INSTALAÇÃO OPCIONAL

PRODUCT SIZE(CM)	72*45*23
WEIGHT(KG)	10
GUARANTEE	10 YEARS
MAX.PRESSURE(BAR)	8
MIN.PRESSURE(BAR)	1
OPTIMUM PRESSURE(BAR)	3-4
MAX.TEMPERATURE	55ºC
MIN.TEMPERATURE	0ºC





CPI003/ANG

COD.: 00579

CASCADA DE PISCINA 20CM IGUAZU
NEGRO MATE

SINGLE-COOL / SINGLE- FUNCTION INSTALLATION STEPS

APPLICABLE MODELS:

GPA002, GPC004, GPN009, GPO006, GPO011, GPP001, GPT005, GPU010, GPN013, GPA014 ,GPS016


①


②

③


④

⑤

⑥

⑦

⑧

⑨


⑩


⑪

⑫

SINGLE-COOL / DUAL FUNCTION INSTALLATION STEPS

APPLICABLE MODELS:

GPD003,GPM007


①

②

③

④


⑤

⑥

⑦


⑧

⑨

⑩


⑪

⑫

⑬

HOT & COLD / DUAL FUNCTION INSTALLATION STEPS

APPLICABLE MODELS:

GPF008,GPK012



1



2

3

4

5

6



7



8

9

10

11

12

13

PACKAGING

POOLIMEX

OUTDOOR EQUIPMENTS